




1-800-641-4098



#### **Scene Lights**

ESL X-TRA Page 22 LED	ر بروستین کر ایر ایر ایر ایر ایر ایر ایر ایر ایر ای
Low-Profile Page 23 LED	
MEGA Page 23 LED	
Scene Lighters Page 24 LED	
LightStorm <sup>®</sup> Off I Page 25 SHO-OFF <sup>®</sup> LED	Road

Sirens / Speakers	Flashers
Dash Mount Sirens Page 32, 33	LED Pages 38, 39
Undercover Sirens Pages 31, 34	Multi-Purpose Page 40
100W Speakers Pages 34, 35	Bi-Directional Page 40
Covert Light Kits	<b>Mounting Brackets</b>
Headlight Page 21 LED	Arrow Boards Page 44
Bi-Color Page 21 LED	LEDs Pages 43, 44

#### **Warning Sticks**



Page 14 LED

Outlet Boxes

Page 29

Combos

Page 29

Back-Up

Alarms Page 33

Мар

Lights

Lights

Page 36

Page 36

Page 37

Timers

Page 37

24VDC - 12VDC Converter Page 41 Ignition Överride Page 42

Electronic Gun Locks

Equipment Racks

Page 36 Dome

Switch / Outlet

#### ETERATO, INTERACTOR, DEPENDENT

#### **Work Lights**

MEGA	Emergency Scene
Page 25	Page 28
LED	Incandescent
Hi-Intensity	Spot / Flood
Page 27	Page 28
LED / Incandescent	LED
Portable Spot	Remote Control Spot
Page 27	Page 28
Halogen / Incandescent / LED	Halogen
Accessories	Switches

Switch

Boxes






#### Undercover Switch Boxes Page 31









Page 45


#### **Numerical Index**

Page 46

مم



			<u> </u>	
Alway	<u>vs Strivin</u>	g to Exceed	Your Fx	nectations
				peolationo



Model 12.1347CH.BWRW with Dual-Color LED Modules

# SHO-OFF<sup>®</sup> Light Bars 12 Series

- Exceptionally bright 3W LEDs with reflectors provide highly visible light even in daytime.
- Four standard lengths: 27", 37", 47" and 57". Available in custom lengths up to 97".
- Flash patterns vary with light bar length. Optional take-down lights and built-in signal stick upon request. Alley lights and stop-tail-turn function are available for an additional charge.
- Includes mounting kit and 15' cable. / 12V Standard / Made in the U.S.A. / 5 Year Warranty


#### Models with Dual-Color LED Modules 12.1327CH / 12.1337CH / 12.1347CH / 12.1357CH

- Individual SHO-OFF<sup>®</sup> reflector modules have six 3W LEDs in alternating colors that enable a single light bar to function in a variety of ways.
- Light bars can have as many as five different colors.

#### Models with Single-Color LED Modules 12.1327 / 12.1337 / 12.1347 / 12.1357

- Individual SHO-OFF<sup>®</sup> reflector modules have six 3W LEDs in a single color for intense light per flash.
- Light bars can accommodate as many as five different colors.





Models 12.1327 / 12.1327CH	(72) 3W LEDs	18A Max - 9.0A Avg	4" H x 9½" D x 27" L
Models 12.1337 / 12.1337CH	(96) 3W LEDs	24A Max - 12A Avg	4" H x 91⁄8" D x 37" L
Models 12.1347 / 12.1347CH	(120) 3W LEDs	30A Max - 15A Avg	4" H x 91⁄8" D x 47" L
Models 12.1357 / 12.1357CH	(144) 3W LEDs	36A Max - 18A Avg	4" H x 91⁄8" D x 57" L



SHO-ME

Model 12.1347.AW0 with Single-Color LED Modules

#### 1-800-641-4098



Model 12.1247.B00 with 3W Luminator LEDs





- Choice of Standard or 3W Luminator LEDs.
- Four standard lengths: 27", 37", 47" and 57".
- Available in custom lengths up to 97".
- Flash patterns vary with light bar length.
- Optional built-in signal stick, take-down lights, alley lights and stop-tail-turn function are available for an additional charge.
- Includes mounting kit and 15' cable.
- 12V standard / 24V upon request
- Made in the U.S.A. / 5 Year Warranty



Model 12.1247.RB0 shown above





4" H x 91/8" D x 27" L

**37" Light Bars** 4" H x 9<sup>1</sup>/<sub>8</sub>" D x 37" L



Models 11.1227 / 11.1227.008 504 Standard LEDs / 2.5A Max Model 11.1227.008 has (4) 90 lb-pull magnets and a 15' cable with a switched adapter plug.



Model 11.1237 672 Standard LEDs / 3.5A Max



Models 12.1227 / 12.1227.008 (30) 3W Luminator LEDs / 7.5A Max Model 12.1227.008 has (4) 90 lb-pull magnets and a 15' cable with a switched adapter plug.



Model 12.1237 (42) 3W Luminator LEDs / 10.5A Max



Model 11.1247 840 Standard LEDs / 4.4A Max



Model 12.1247 (54) 3W Luminator LEDs / 13.5A Max



**57" Light Bars** 4" H x 9%" D x 57" L

Model 11.1257 1008 Standard LEDs / 5.3A Max



Model 12.1257 (66) 3W Luminator LEDs / 16.5A Max



#### SHO-OFF® Interior LED Light Bar Models 12.1400 / 12.1401 / 12.1402

- Low-profile design allows unobstructed view.
- Simple "No Drill" installation.
- Reflectors on each LED module surround (6) 3W LEDs in single or alternating colors.
- Internal flasher has nine selectable patterns.
- Also available with optional take-down lights.





- Model 12.1401 **Driver Side** 24 LEDs / 3A Max
- Includes universal brackets and a 15' cable.
- 12V / 7/8" H x 31/2" D x 16" L per section
- Made in the U.S.A. / 5 Year Warranty



#### SHO-OFF® LED Mini Bars Models 12.1306 / 12.1308

- Blazingly bright mini bars are available in two styles: Model 12.1306 has 6 LED modules with (36) 3W LEDs. Model 12.1308 has 8 LED modules with (48) 3W LEDs.
- The reflector in each LED module surrounds (6) 3W LEDs in your choice of single or alternating colors.
- Internal flasher has twelve selectable flash patterns.
- Hardwire models measure 2<sup>3</sup>/<sub>4</sub>" H x 9<sup>1</sup>/<sub>8</sub>" D x 17<sup>1</sup>/<sub>4</sub>" L and include a 15' power cable and hardware.
- Plug-in models measure 3" H x 91/8" D x 171/4" L and include a 15' cord with a dual-switch accessory outlet plug and four 90 lb-pull magnets.
- 12V / Made in the U.S.A. / 5 Year Warranty




#### Flash Force<sup>®</sup> LED Mini Bars Model 11.1400

- Hybrid design with 352 Standard LEDs and one white SHO-OFF® LED module at each end.
- Internal flasher with seven selectable patterns.
- V-shaped mirrors spread and enhance each flash.
- Hardwire models include a 15' cable and hardware. (Switch sold separately.)
- Plug-in models include a 15' cord with a dual switch adapter plug and four 90 lb-pull magnets.

SHO-ME

• 12V / Made in the U.S.A. / 5 Year Warranty

Model 11.1400.000 Hardwire 5.0A 23/4" H x 91/8" D x 171/4" L 5.0A 3" H x 91/8" D x 171/4" L Model 11.1400.008 Plug-In





#### Low-Profile LED Mini Bars Models 11.1200 / 12.1224

- LEDs wrap around the housing for 360° visibility.
- Model 11.1200 has 368 Standard LEDs in solid, half or quarter arrays. LEDs flash in quarter sections.
- Model 12.1224 has (8) groups of (3) 3W LEDs. LEDs flash in groups of three.
- Hardwire models include a 15' cable and hardware. (Switch sold separately.)
- Plug-in models include a 15' cord with a switched adapter plug and (4) 90 lb-pull magnets.
- 12V Standard 24V available upon request
- Made in the U.S.A. / 5 Year Warranty



Model 11.1200.AW0



Model 12.1224.RB8

Model 11.1200.000	Hardwire	368 LEDs	7 Patterns	3.7A Max	2¾" H x 91⁄8" D x 171⁄4" L
Model 11.1200.008	Plug-In	368 LEDs	7 Patterns	3.7A Max	3" H x 91⁄8" D x 171⁄4" L
Model 12.1224.000	Hardwire	(24) 3W LEDs	12 Patterns	6.0A Max	2¾" H x 91⁄8" D x 17¼" L
Model 12.1224.008	Plug-in	(24) 3W LEDs	12 Patterns	6.0A Max	3" H x 91⁄8" D x 171⁄4" L



Model 11.1193.A08

Model 12.1304.A00





#### Quadisc Compact LED Mini Bars Models 11.1193 / 12.1304

- Mini Bar measures slightly larger than a sheet of copy paper.
- Model 11.1193 has 216 Standard LEDs and 7 flash patterns.
- Model 12.1304 has (24) 3W LEDs and 15 flash patterns.
- Hardwire models include a 15' cable and hardware. (Switch sold separately.)
- Plug-in models include a 15' cord with a switched adapter plug and (4) 60 lb-pull magnets.
- 12V / Made in the U.S.A. / 5 Year Warranty

Model 11.1193.000	Hardwire	216 LEDs	7 Patterns	1.3A Max	2¾" H x 91⁄8" D x 10¾" L
Model 11.1193.008	Plug-In	216 LEDs	7 Patterns	1.3A Max	3" H x 91⁄8" D x 103⁄4" L
Model 12.1304.000	Hardwire	(24) 3W LEDs	15 Patterns	3.0A Max	2¾" H x 91⁄8" D x 10¾" L
Model 12.1304.008	Plug-in	(24) 3W LEDs	15 Patterns	3.0A Max	3" H x 91⁄8" D x 103⁄4" L



#### Dual Head LED Mini Bars Model 12.0312

- Each lighthead has six 3W LEDs for a total of 12 LEDs.
- Internal flasher with seven selectable patterns.
- Diamond-shaped mirror multiplies each flash.
- Inner fresnel lenses are available in six colors.
- Hardwire models include a 15' cable and hardware. (Switch sold separately.)
- Plug-in models include a 15' cord with dual switch adapter plug and (4) 90 lb-pull magnets.
- 12V / Made in the U.S.A. / 5 Year Warranty



Model 12.0312.RB0

Model 12.0312.000 Hardwire 3.0A Max 2<sup>3</sup>/<sub>4</sub>" H x 9<sup>1</sup>/<sub>8</sub>" D x 17<sup>1</sup>/<sub>4</sub>" L Model 12.0312.008 Plug-In 3.0A Max 3" H x 9<sup>1</sup>/<sub>8</sub>" D x 17<sup>1</sup>/<sub>4</sub>" L





Fresnel Inner Lenses



Model 02.6116 shown above

# Standard Size Arrow Boards Models 02.5900 / 02.6000 / 02.6052 / 02.6116 / 02.6134





- Ten 4" diameter amber lamps are available in five styles: LumenX<sup>®</sup> LED, incandescent, ultra-bright LED, standard LED and mega-bright LED.
- 60 single FPM in four modes: right arrow, left arrow, double arrow and center bar.
- Model 02.6029HD3 control box has two "center off" mode switches, flash pattern indicator lights, (1) 20' pre-wired harness and a bail mounting bracket.
- Plug-in connectors simplify installation.
- Includes ABS plastic rear panel dust cover that protects wiring from weather and dust.
- 12V / 13" H x 3" D x 54" L
- Made in the U.S.A. / 5 Year Warranty



SHO-ME



Model 02.6052 Ultra-Bright LED 52 LEDs per lamp / 6.5A Max

Model 02.6009

LumenX<sup>®</sup> LED

9 LEDs per lamp / 4.0A Max

Model 02.6000

Incandescent

(10) 27W Bulbs / 21A Max



Model 02.6116 Standard LED 16 LEDs per lamp / 2.0A Max



Model 02.6134 Mega-Bright LED 34 LEDs per lamp / 3.0A Max

#### Control Box Model 02.6029HD3



- Included with all Standard Size Arrow Boards.
- Fingertip mode selection.
- Pilot lights indicate selected flash pattern.
- 1¼" H x 6¼" D x 6" L

#### 1-800-641-4098



#### Two-Piece Arrow Boards Models 02.6200 / 02.6216 / 02.6234 / 02.6252

- Split housing installs where a traditional arrow board would be difficult to mount.
- Each panel has (5) 4" diameter lamps available in four styles: incandescent, standard LED, mega-bright LED and ultra-bright LED.
- 60 single FPM in four modes: right arrow, left arrow, double arrow and corner lamps.



Model 02.6200 - Incandescent (10) 27W Bulbs / 21A Max Total



Model 02.6216 - Standard LED 16 LEDs per lamp / 2.0A Max Total

Model 02.6216 with Standard LEDs

- Six heavy-duty threaded inserts in each panel accommodate a variety of installations.
- Includes Model 02.6029HD4 control box. Control box measures 1<sup>1</sup>/<sub>4</sub>" H x 6<sup>1</sup>/<sub>4</sub>" D x 6" L.
- Plug-in connectors simplify installation.
- 12V / 13" H x 2<sup>1</sup>/<sub>2</sub>" D x 24" L (each piece)
- Made in the U.S.A. / 5 Year Warranty

Model 02.6234 - Mega-Bright LED 34 LEDs per lamp / 3.0A Max Total



**Model 02.6252 -** Ultra-Bright LED 52 LEDs per lamp / 6.5A Max Total





Includes Control Box Model 02.6029HD4



#### Short Arrow Boards Models 02.6300 / 02.6316 / 02.6334 / 02.6352

- Space-saving length is ideal for small vehicles.
- Eight 4" diameter amber lamps are available in four styles: incandescent, standard LED, mega-bright LED and ultra-bright LED.
- 60 single FPM in four modes: right arrow, left arrow, double arrow and center bar.



Model 02.6300 - Incandescent (10) 27W Bulbs / 17A Max Total



**Model 02.6316 -** Standard LED 16 LEDs per lamp / 1.6A Max Total

> Model 02.6352 with Ultra-Bright LEDs

- Includes Model 02.6029HD3 control box. and ABS plastic rear panel dust cover.
- Control box measures 1<sup>1</sup>/<sub>4</sub>" H x 6<sup>1</sup>/<sub>4</sub>" D x 6" L.
- Plug-in connectors simplify installation.
- 12V / 13" H x 3" D x 40½" L
- Made in the U.S.A. / 5 Year Warranty

Model 02.6334 - Mega-Bright LED 34 LEDs per lamp / 2.4A Max Total

Model 02.6352 - Ultra-Bright LED

52 LEDs per lamp / 5.2A Max Total





Includes Control Box Model 02.6029HD3





#### Large Arrow Boards Models 02.7000 / 02.7016 / 02.7034 / 02.7052

- Fourteen 4" diameter amber lamps are available in four styles: incandescent, standard LED, mega-bright LED and ultra-bright LED.
- Sun Visors increase lamp visibility up to 1/2 mile.
- 60 single FPM in five modes: right, left and double arrow; center bar and corner lamps.
- Fourteen threaded inserts for mounting.
- Includes Model 02.7066 control box. Control box measures 2<sup>1</sup>/<sub>4</sub>" H x 5<sup>1</sup>/<sub>8</sub>" D x 6" L.
- Plug-in connectors simplify installation.
- 12V / 24" H x 2<sup>1</sup>/<sub>2</sub>" D x 60" L without Sun Visors
- Made in the U.S.A. / 5 Year Warranty



Model 02.7000 - Incandescent (14) 27W Bulbs / 20A Max Total



Model 02.7016 - Standard LED 16 LEDs per lamp / 2.8A Max Total



Model 02.7034 - Mega-Bright LED 34 LEDs per lamp / 4.2A Max Total



Model 02.7052 - Ultra-Bright LED 52 LEDs per lamp / 9.1A Max Total



Just plug in and go!



- All Portable LED Arrow Boards have an internal controller and an adapter plug.
- Two center-off, housing-mounted toggle switches control pattern selection.
- 60 single FPM in four modes: right, left and double arrow; center bar or caution lamps.
- Available in Standard, Two Piece and Short sizes.
- Four-inch diameter amber lamps are available in three styles: standard LED, mega-bright LED and ultra-bright LED.
- Includes 20' cable with plug-in adapter.
- 12V / Dimensions and Amp Ratings are the same as those of traditional models.
- Made in the U.S.A. / 5 Year Warranty

#### Models with Standard LEDs

Model 02.6116WP - Standard Arrow Board Model 02.6216WP - Two-Piece Arrow Board Model 02.6316WP - Short Arrow Board

#### Models with Mega-Bright LEDs

Model 02.6134WP - Standard Arrow Board Model 02.6234WP - Two-Piece Arrow Board Model 02.6334WP - Short Arrow Board

#### Models with Ultra-Bright LEDs

Model 02.6052WP - Standard Arrow Board Model 02.6252WP - Two-Piece Arrow Board Model 02.6352WP - Short Arrow Board





Models 11.2731 / 11.2731P



 Model 11.2731 / 11.2731P
 240 LEDs
 4.0A Max
 2" H x 2" D x 31" L

 Model 11.2741 / 11.2741P
 320 LEDs
 4.0A Max
 2" H x 2" D x 41" L

 Model 11.8341.A-CONT
 164 LEDs
 2.1A Max
 1¾" H x 1½" D x 405%" L


 Model 11.8341P.A-CONT
 164 LEDs
 2.1A Max
 1¾" H x 1½" D x 405%" L



Model 11.8341 shown above



Model 11.2741 shown above



## 



Model 11.2741CH.ARAB



#### 



#### **Chameleon LED Signal Stick** Model 11.2741CH.ARAB

- A Directional and Warning Signal in ONE housing.
- Two or three interwoven LED colors in each light: the Directional function uses 192 amber LEDs; the Warning function uses 224 LEDs in your choice of blue, green, red or white.
- Includes a deluxe controller with twelve selectable patterns, a remote switch wire for optional random flash, plug-in connectors, brackets and 15' cable.
- Aluminum housings have T-slot mounting channels on back and underside to simplify installation.
- Clear lens covers protect LEDs.
- Optional waterproofing for wet locations.
- Also available in 31" length Model 11.2731CH.ARAB.
- 12V / 5.2A Max / 2" H x 2" D x 41" L
- Made in the U.S.A. / 5 Year Warranty



#### Controller Model 11.1000CH

- Included with Chameleon Signal Stick.
- Twelve selectable flash patterns.
- LED lights indicate selected flash pattern.
- Variable speed control dial.
- 13/8" H x 53/4" D x 6" L

Quad Alternating Halves: Red - Blue Single Alternating Halves: Amber - Red - Blue Double Alternating: Amber Outer 2 Sections Scan Amber / Scan Red / Scan Blue Center Out Amber Right Arrow Amber: Double Flash End **Right Arrow Amber** Left Arrow Amber: Double Flash End Left Arrow Amber Random: Amber Patterns Only Random: Red Patterns / Blue Patterns Random: Amber / Red / Blue Patterns



Model 12.6204.KIT-2

SHO-ME

#### LightStorm<sup>®</sup> Split LED Signal Stick USA Model 12.6204.KIT-2

- Split configuration for installation in compact vans and trucks.
- 3W Luminator LEDs are designed for high visibility.
- Includes (1) deluxe controller with 12 selectable patterns, (2) lights, plug-in connectors, brackets and (2) 15' cables.
- Aluminum housings have T-slot mounting channels.
- Clear lens covers protect LEDs.
- Suitable for interior or exterior installations.
- 12V / 3A Max / 2<sup>1</sup>/<sub>4</sub>" H x 2<sup>3</sup>/<sub>8</sub>" D x 16<sup>3</sup>/<sub>4</sub>" L each light
- Made in the U.S.A. / 5 Year Warranty




#### Controller Model 11.1000

- Included with Split LED Signal Stick.
- Twelve selectable flash patterns.
- Flash pattern indicator LEDs.
- Variable speed control dial.
- 1<sup>3</sup>/<sub>8</sub>" H x 5<sup>3</sup>/<sub>4</sub>" D x 6" L

Alternating Quad: Ends Alternating Quad: Halves Alternating Double: Ends Alternating Double: Halves Alternating Single: Halves Alternating Single : All Center Out Right Arrow: Double Flash End **Right Arrow** Left Arrow: Double Flash End Left Arrow Random

#### 1-800-641-4098







Above: Model 12.6110.RRWWBBWWRR

- 3W LEDs with advanced optics.
- Self-contained flasher. Patterns vary with length.
- T-slot mounting channels on back and underside.
- Clear lens covers protect LEDs from debris.
- Interior or exterior installations.
- Additional lengths available upon request.
- Includes 15' cable. (Switch sold separately.)
- 12V / Made in the U.S.A. / 5 Year Warranty



Model 12.6105	(15) 3W LEDs	3.75A Max	2¼" H x 2¾" D x 20¾" L
Model 12.6106	(18) 3W LEDs	4.5A Max	2¼" H x 2¾" D x 237%" L
Model 12.6110	(30) 3W LEDs	7.5A Max	2¼" H x 2¾" D x 37¾" L





- Each SHO-OFF<sup>®</sup> LED module has a reflector that surrounds six 3W LEDs in your choice of five single or alternating colors.
- Internal flasher has 29 selectable flash patterns.

Model 1

Model 1 Model 1

Model 1

Model 1

Mount in a dry location.

- Also available with an adapter plug with power and mode switches on a 15' cable.
- 12V / Made in the U.S.A. / 5 Year Warranty

2.1312	2 LED Modules	2.0A Max	1¾" H x 1½" D x 9" L
2.1318	3 LED Modules	3.0A Max	1¾" H x 1½" D x 14½" L
2.1324	4 LED Modules	4.0A Max	1¾" H x 1½" D x 20" L
2.1330	5 LED Modules	5.0A Max	1¾" H x 1½" D x 25½" L
2.1336	6 LED Modules	6.0A Max	1¾" H x 1½" D x 31" L

Model 11.2720.AAWW

Model 11.2715.RWB

Model 11.2725.AWAWA

**LED Stick Lights** MADE IN USA **11 Series** 


Model 11.2710.BW0

- Portable lights have internal flashers with seven patterns.
- Housing-mounted, push button switches control power and flash mode.
- Optional rotary selector controls up to 15 flash patterns (varies with model).
- Each light includes a 10' cable with a fused adapter plug and brackets.
- Aluminum housings with clear polycarbon lenses.
- Optional waterproofing is available for wet locations.
- 12V / Made in the U.S.A. / 5 Year Warranty

Model 11.2710	80 LEDs	1.0A Max	17%" H x 17%" D x 10½" L
Model 11.2715	120 LEDs	1.5A Max	17/8" H x 17/8" D x 153/4" L
Model 11.2720	160 LEDs	2.0A Max	17/8" H x 17/8" D x 21" L
Model 11.2725	200 LEDs	2.5A Max	17%" H x 17%" D x 26" L

Dash, Headliner, "L" or Windshield "L" Brackets Dash, Headliner, "L" or Windshield "L" Brackets Includes "L" Brackets Includes "L" Brackets

Shown above: Models



11.2715.RWB & 11.2710.BR0





1-800-641-4098

14

# BTI LED Lights 11 Series

- Use these versatile lights wherever a slim yet powerful warning light is needed.
- Available in one-inch increments up to 60" long.
- Multiple colors can be combined in one housing; four LEDs of one color per inch.
- All models include a 10' (minimum) cable.
- 12V / 0.04A Max per Inch / Made in the U.S.A.



Model 11.8240.BRBR shown above



#### Original BTI LED Lights 11.8200 Series / 11.8200F Series

++++

- ABS plastic housing has integral mounting bolts extending from the back.
- Available in 1" increments from 1" to 60" long.
- 11.8200 Series lights connect to a remote LED flasher or signal stick controller.
- 11.8200F Series lights have a seven-pattern internal flasher. (4" minimum length)
- Epoxy-encapsulated LEDs are moisture, vibration and corrosion resistant.
- Also available with optional metal housings.
- 1" H x 1" D x 1" to 60" L / 5 Year Warranty



- Aluminum housing has T-slot mounting channels.
- Available in lengths ranging from 5" to 60".
- 11.8300 Series lights connect to a remote LED flasher or signal stick controller.
- 11.8300F Series lights have a seven-pattern internal flasher. (5" minimum length)
- Clear lens covers protect LEDs.
- Optional waterproofing for wet locations.
- 1<sup>3</sup>/<sub>8</sub>" H x 1<sup>1</sup>/<sub>2</sub>" D x 5" to 60" L / 5 Year Warranty



Model 11.8315.AWA shown above

12392499994

11.8315.AWA

11.8320.RBRB

\*\*\*\*\*\*\*\*

Model 11.8416.A00 shown above



#### Bendable BTI LED Lights 11.8400 Series / 11.8400F Series

- Waterproof housing bends to fit vehicle contours.
- Available in lengths ranging from 12" to 60".
- 11.8400 Series lights connect to a remote LED flasher or signal stick controller.
- 11.8400F Series lights have a seven-pattern internal flasher. (12" minimum length)
- Surface mounts with integral mounting bolts on housing back.
- 1" H x <sup>3</sup>/<sub>4</sub>" D x 12" to 60" L / 1 Year Warranty





- Waterproof strip light has 40 LEDs.
- Internal flasher produces seven patterns.
- Includes (2) "L" brackets and a 15' cord. (Adapter plug available for an extra charge.)
- Measures 1" H x 1" D x 91/4" L.
- 12V / 0.5A Max
- Made in the U.S.A. / 5 Year Warranty

#### MEGA 43 LED Light Model 10.4322

- Four 3W LEDs in each light.
- Self-contained flasher with 21 patterns.
- Includes gasket, hardware and 6" pigtail wire.
- Measures 11/8" H x 3/4" D x 4" L.
- 12V 24V / 0.4A Max
- 2 Year Warranty



Shown above: Model 10.4322.B00 Model 10.4322.R00



Model 10.4322.WR0



#### MEGA 63 LED Light Model 10.6322

SHO-ME

- Six 3W LEDs in each light.
- Self-contained flasher with 21 patterns.
- Includes gasket, hardware and 6" pigtail wire.
- Measures 11/8" H x 3/4" D x 51/8" L.
- 12V 24V / 0.5A Avg 0.7A Max
- 2 Year Warranty



- Black ABS housing has 40 LEDs.
- Knock-out holes for flush mounting or "L" brackets.
- Includes (2) "L" brackets, gasket and 18" cord.
- Remote flasher sold separately.
- Also available as a kit with switch and flasher.
- Measures 11/2" H x 3/4" D x 51/8" L.
- 12V / 0.5A Max
- Made in the U.S.A. / 5 Year Warranty

Model 11.9000.A00



## LED Mighty Mite Light Kit Model 11.3704

- Waterproof, flush-mount light with 40 LEDs.
- Kit includes (2) lights with 10' cords and hardware plus (1) Model 11.1005SF flasher and (1) Model 11.1002 switch.
- Individual light also available separately. (Model 11.8004)
- Each light measures 2" H x <sup>1</sup>/<sub>2</sub>" D x 4" L.
- 12V / 0.5A Max / Made in the U.S.A. / 5 Year Warranty



Model 11.3704.RB0



#### **LED Mighty Light** Model 11.3708

- Waterproof, flush-mount light with 80 LEDs.
- Internal flasher has seven patterns.
- Epoxy-coated LEDs resist moisture & vibration.
- Includes 10' power cord and hardware.
- Measures 2" H x <sup>1</sup>/<sub>2</sub>" D x 7<sup>5</sup>/<sub>8</sub>" L.
- 12V / 1.0A Max
- Made in the U.S.A. / 5 Year Warranty



- Measures 1<sup>1</sup>/<sub>2</sub>" H x 1<sup>1</sup>/<sub>2</sub>" D x 5<sup>1</sup>/<sub>8</sub>" L.
- 12V / 1.5A Max
- Made in the U.S.A. / 5 Year Warranty







#### **Luminator LED Quad Light** Model 12.5004

- Four 3W Luminator LEDs in each light.
- Self-contained flasher with 29 patterns.
- Includes gasket, (2) "L" brackets and 18" pigtail wire.
- Measures 11/2" H x 11/2" D x 61/4" L.
- 12V / 1.5A Max
- Made in the U.S.A. / 5 Year Warranty





#### Shown above: Model 12.10ATV.RB0

- Kit includes (4) MEGA 63 Lights, (1) handlebar switch, (1) 20W 125db wail siren & mounting brackets.
- Lights have internal flashers with 21 patterns and split arrays in choice of LED color.
- Waterproof handlebar switch has three buttons to control mode, power to siren, and power to lights.
- Light 11/8" H x 3/4" D x 51/8" L / Siren 41/8" H x 31/8" D x 33/8" L / Switch 11/4" H x 3/4" D x 4" L
- 12V / 7.5A Max / 1 Year Warranty

Model 12.10ATV



#### SHO-OFF® Multi-Purpose LED Lights Models 12.1314 / 12.1314.CAP

- Each array of (6) 3W LEDs is surrounded by a reflector that creates a wide-angle light spread.
- Internal flasher has 29 selectable flash patterns.
- T-slot mounting channels simplify installation.
- Model 12.1314 comes with an 18" pigtail and (2) "L" brackets. Switch and flashback shield sold separately.
- Model 12.1314.CAP comes with (2) "L" brackets and a 15'cable with a switched adapter plug.
- 12V / 0.75A 1.5A Max / 13/8" H x 11/2" D x 4" L
- Made in the U.S.A. / 5 Year Warranty



- Low-profile housing has 80 LEDs.
- Internal flasher with seven selectable patterns.
- Housing-mounted power and mode switches.
- Securely attaches to visors with built-in, adjustable, hook and loop straps.

SHO-ME

- Steady-burn map light is a standard feature on models with red LEDs.
- Includes a 10' cord with fused adapter plug.
- Measures 3<sup>3</sup>/<sub>8</sub>" H x <sup>3</sup>/<sub>4</sub>" D x 8<sup>3</sup>/<sub>8</sub>" L.
- 12V / 1.0A / Made in the U.S.A. / 5 Year Warranty



Model 11.4000.RB0



Model 11.4000.AA0



Model

12.1840.A00





#### LED Dash Light Model 11.8000

- Solid or split array of 80 LEDs.
- Internal flasher has seven patterns.
- Housing-mounted, push-button, power and mode switches.
- Includes 10' cord with adapter plug and choice of headliner, dash, bail, "L" or windshield "L" brackets.
- 1<sup>1</sup>/<sub>2</sub>" H x 1<sup>7</sup>/<sub>8</sub>" D x 6<sup>1</sup>/<sub>2</sub>" L / 1.0A Max
- 12V / Made in the U.S.A. / 5 Year Warranty



- Four 3W Luminator LEDs have advanced optics.
- Internal flasher produces seven selectable patterns.
- Housing-mounted power and mode switches plus pattern indicator LEDs.
- Includes an adapter plug on a 10' cord, flashback shield, bail bracket, windshield bracket and Velcro disks.
- 1<sup>3</sup>/<sub>4</sub>" H x 6<sup>1</sup>/<sub>4</sub>" D x 5<sup>7</sup>/<sub>8</sub>" L (without bracket) / 1.5A Max
- 12V / Made in the U.S.A. / 5 Year Warranty





Model 12.2809.AW0

0.00000	000000
000000	



#### **Luminator LED Dash Light** Model 12.2809


- Six 3W Luminator LEDs with advanced optics.
- Internal flasher has 10 selectable patterns.
- Removable bracket prevents flashback.
- Aluminum housing with clear lens cover.
- Includes 10' cord, adapter plug with power and mode switches, and flashback shield.
- 2<sup>7</sup>/<sub>8</sub>" H x 6<sup>3</sup>/<sub>8</sub>" D x 9<sup>3</sup>/<sub>4</sub>" L (with shield) / 1.5A Max
- 12V / Made in the U.S.A. / 5 Year Warranty



#### Dash Pro and Dash Pro II LED Lights Models 12.5114 / 12.5214

- 3W Luminator LEDs.
- Advanced optics improve visibility.
- Internal flasher has 29 selectable patterns.
- Mode switch is located on back of light.
- Integral flashback shield has suction cups that swivel and adjust horizontally.
- Includes an adapter plug on a 10' cord.
- 12V / Made in the U.S.A. / 5 Year Warranty

12.5214.WAAW Model 12.5114.RR0



Model

Model 12.5214 (8) 3W LEDs 3.0A Max 3<sup>1</sup>/<sub>4</sub>" H x 7<sup>%</sup>" D x 10<sup>1</sup>/<sub>4</sub>" L with shield and suction cups

Model 12.5114 (4) 3W LEDs 1.5A Max 1<sup>3</sup>/<sub>8</sub>" H x 4<sup>1</sup>/<sub>2</sub>" D x 10<sup>1</sup>/<sub>4</sub>" L with shield and suction cups





The X-TREME Beacon (left) emits a wider and brighter light than previous models.



13.2136.B00 Stud-Mount



13.2144.R00 Flush-Mount

13.2154.A00 Magnet Mount

- Intense light from four LED panels (each with 30 LED dies) fills the lens.
- A built-in flasher generates a double flash to attract attention.
- Available in three mounting styles with either a 4" or 6" lens.
- 12V / 2A Max / Made in the U.S.A. / 5 Year Warranty

Model 13.2134 Stud or Pipe Mount 4" Lens Model 13.2136 Stud or Pipe Mount 6" Lens Model 13.2144 Flush Mount 4" Lens Model 13.2146 Flush Mount 6" Lens Model 13.2154 Magnet Mount 4" Lens Model 13.2156 Magnet Mount 6" Lens



Available with 4" or 6" lenses in 5 colors.

4<sup>1</sup>/<sub>4</sub>" H x 5<sup>1</sup>/<sub>2</sub>" DIA Aluminum base / 12" wire 6<sup>1</sup>/<sub>4</sub>" H x 5<sup>1</sup>/<sub>2</sub>" DIA Aluminum base / 12" wire 5" H x 6<sup>5</sup>/<sub>8</sub>" DIA Black plastic base / 10" wire 7" H x 65/8" DIA Black plastic base / 10" wire 4<sup>3</sup>/<sub>8</sub>" H x 5<sup>1</sup>/<sub>4</sub>" DIA 90 lb magnet / 15' cord / plug 6<sup>3</sup>/<sub>8</sub>" H x 5<sup>1</sup>/<sub>4</sub>" DIA 90 lb magnet / 15' cord / plug



#### FLASHPOINT<sup>®</sup> Bi-Color LED Beacons Models 12.7233 / 12.7243 / 12.7253

- ONE beacon with TWO selectable colors.
- (12) 3W LEDs in two tiers of (6) colored LEDs.
- 3" fresnel lens available in clear only.
- Self-contained flasher has three modes: Color 1 - quad flash / Color 2 - quad flash Both Colors - alternating quad flash
- 12V / 1.5A Max / Made in the U.S.A. / 5 Year Warranty





3. Blue LED tier on Model 12.7253.AB0 shown above

Model 12.7233	Stud or Pipe Mount	3" Lens	3¼" H x 5½" DIA	Aluminum base / 12" wire
Model 12.7243	Flush Mount	3" Lens	4" H x 65⁄8" DIA	Black plastic base / 10" wire
Model 12.7253	Magnetic Mount	3" Lens	3¾" H x 5½" DIA	90 lb-pull magnet / 15' cord / plug

SHO-ME

1. Power off

#### **Oval Recessed LED Light Kit** Model 12.7110

- Kit includes (2) sonic-welded Lexan housings with rubber grommets, (2) 32W replaceable LED modules with self-contained flashers, (1) 11.1002GSM LED Double Switch and (1) 12' power cable with an 8' extension.
- Internal flashers have 24 patterns. / Three lens colors.
- · Can be synchronized with other lights.
- 12 24V / 0.5A Max per module / 3<sup>1</sup>/<sub>2</sub>" H x 2<sup>7</sup>/<sub>8</sub>" D x 7<sup>5</sup>/<sub>8</sub>" L
- 2 Year Warranty



## PAR 36 LED Lamps Models 11.8516 / 11.8534 / 11.8552

- Waterproof LED lamps in three intensities fit in any standard PAR 36 housing.
- Remote flasher required (sold separately).
- Clear lenses protect LEDs. / Includes 18" pigtail wire.
- 12V / 1¼" D x 4¾" Diameter
- Made in the U.S.A. / 5 Year Warranty





Model 11.8516 Standard PAR 36 16 LEDs / 0.2A Max



Model 11.8534 Mega-Bright PAR 36 With metallized chambers 34 LEDs / 0.3A Max



Model 11.8552 Ultra-Bright PAR 36 52 LEDs / 0.65A Max



Bi-Color PAR 36 LED Kit Model 12.84201

- Dual function, spot-flood LED lights.
- Bi-color array has 20 colored LEDs in an outer ring surrounding one 5W LED.
- Center LED can be wired to flash alternately or simultaneously with the outer ring of LEDs.
- Kit includes (2) lightheads, (2) rubber housings w/ adjustable brackets and (1) 11.1005SF flasher.
- Switch sold separately.
- Mounted lamps measure 6" H x 4" D x 4<sup>3</sup>/<sub>4</sub>" L.
- 12V / 0.5A Max per lighthead.
- Made in the U.S.A. / 5 Year Warranty

#### Headlight Covert LED Kit Model 12.3810

- Eight 4W LEDs per module provide wide-angle light spread.
- Install in 1" cut-outs in vehicle light housings or surface mount.
- Kit includes (2) LED modules with internal flashers, (2) gaskets, (2) mounting flanges, (1) 12' power cable and (1) 8' extension.
- 24 patterns Synchronizable 1¼"
  - 0.5A Max / module 2 Ye
- 1¼" H x 1" Diameter ea.
  2 Year Warranty





• 12V - 24V

### Bi-Color Covert LED Kit Model 12.4516

- Two LED colors in each module. / Eight 3W LEDs per module.
- Install in 1" cut-outs in vehicle light housings or surface-mount.
- Kit includes (2) modules with internal flashers, (2) gaskets,
  (2) mounting flanges, (1) 12' power cable and (1) 8' extension.
- 36 patterns
   Syncl
- 12V 24V
- Synchronizable
- 1" H x 1" Diameter ea.
- 0.5A Max / module
   2 Year Warranty



# **ESL X-TRA**

# **Original and Low-Profile Models**



- A white scene light and a colored split array in one housing provide built-in versatility.
- Models are available in Original height (5" tall) and Low-Profile (21/4" tall).
- Each dual-color Cree® LED emits white and one alternate color: either amber, blue, red or white.
- Includes Model 10.3003 external 3-output flasher, mounting hardware and power cable.
- Suitable for exterior or interior applications.
- 12V / 2 year warranty

Model 10.6060F Model 10.6090F Model 10.6120F       60W Low-Profile (12) SW LEDs 90W Low-Profile (24) SW LEDs 120W Low-Profile (24) SW LEDs 13200 LM       6600 LM       2.1A Max       24" H x 27" D x 14" L 24" H x 27" D x 25%" L 150W Low-Profile (24) SW LEDs 13200 LM       55A Max       24" H x 27" D x 25%" L 24" H x 27" D x 31%" L 150W Low-Profile (30) SW LEDs 1500 LM       16500 LM       55A Max       24" H x 27" D x 31%" L 24" H x 27" D x 31%" L 210W Low-Profile (42) SW LEDs 240W Low-Profile (48) SW LEDs 240W Low-Profile (48) SW LEDs 240W Low-Profile (48) SW LEDs 240W Low-Profile (48) SW LEDs 240W Original (40) 3W LEDs 120W Original (60) 3W LEDs 120W Original (70) 3W LEDs 120W Distribution Model 10.6150F.BWW       4A Max 5" H x 31%" D x 16%" L Model 10.6120F.RWR         Model 10.6150F.BWW       Model 10.6120F.RWR       Model 10.6120F.RWR       Model 10.6000F.RWR       Model 10.6000F.RWR       Model 10.6100F.RWR       Model 10.6240F.RWB       Model 10.6240F.BWB       Model 10.5180F.AWA       Model 10.5300F.AWB       Model 10.5300F.AWB       Model 10.5300F.AWB       Model 10.5300F.AWB       Model 10.5300F.AWB       Model 10.5300F.AWB<			F	,	<b>,</b>	
Model 10.6120F Model 10.6150F Model 10.6150F       120W Low-Profile 150W Low-Profile (30) SW LEDs 120W Low-Profile (32) SW LEDs 210W Low-Profile (34) SW LEDs 2200 LM 8.1A Max 2'4" H x 2%" D x 34%" L         Model 10.5072F Model 10.5120F 100W Original (40) SW LEDs 240W Original (40) SW LEDs 240W Original (60) SW LEDs 10800 LM 11A Max 5" H x 3½" D x 16½" L         Model 10.5120F Model 10.5300F Model 10.6180F.AWA       2400 LM 40 Amax 5" H x 3½" D x 34%" L         Model 10.6180F.AWA       Model 10.6120F.RWB Model 10.6240F.RWB         Model 10.6150F.BWW       Model 10.6180F.AWW         Model 10.5180F.AWA       Model 10.5180F.AWA	Model 10.6060F		(12) 5W LEDs	6600 LM	2.1A Max	
Model 10.6150F Model 10.6180F Model 10.6210F       150W Low-Profile (36) 5W LEDs 210W Low-Profile (42) 5W LEDs 23100 LM       16500 LM 7.1A Max 244" H × 24" D × 3742" L 244" H × 24" D × 3742" L 244" H × 24" D × 3742" L 244W Low-Profile (42) 5W LEDs 2400 LM         Model 10.6240F       72W Original Model 10.5120F Model 10.5120F       72W Original 120W Original Model 10.5120F 120W Original 800 V Original 800 V Original Model 10.5240F       (24) 3W LEDs 120W Original (40) 3W LEDs 120W Original 800 V Original (60) 3W LEDs 1200 LM       42 Max 4 Max 5" H × 34" D × 1642" L 80 Max 11A Max 5" H × 34" D × 2447" L 11A Max 5" H × 34" D × 2447" L         Model 10.5120F Model 10.5120F       72W Original (80) 3W LEDs 1200 UM       (24) 3W LEDs 1200 UM       4200 LM 4A Max 5" H × 34" D × 2447" L         Model 10.5120F Model 10.5300F       72W Original (00) 3W LEDs 300W Original (100) 3W LEDs       10800 LM 11A Max 5" H × 34" D × 4447" L         Model 10.6120F Model 10.6150F.BWW       Model 10.6120F.RWW       Model 10.6210F.AWB         Model 10.6150F.BWW       Model 10.6180F.AWW       Model 10.6090F.RWR         Model 10.5120F       Model 10.5120F.RWW       Model 10.5240F.BWB         Model 10.5072F.RWB       Model 10.5120F.RWR       Model 10.5240F.BWB         Model 10.5180F.AWA       Model 10.5120F.RWR       Model 10.5240F.BWB	Model 10.6090F	90W Low-Profile	(18) 5W LEDs	9900 LM	3.5A Max	2¼" H x 2%" D x 19%" L
Model 10.6180F Model 10.6210F Model 10.6240F       180W Low-Profile 210W Low-Profile 240W Low-Profile 420 SW LEDs       19800 LM       7.1A Max 214" H x 27% D x 37½" L 23100 LM       244" H x 27% D x 37½" L 244" H x 27% D x 43½" L 244" H x 27% D x 43½" L 240W Criginal         Model 10.6120F Model 10.5120F Model 10.5120F       72W Original 120W Original       (24) 3W LEDs (40) 3W LEDs       4200 LM       4A Max 4Max 5" H x 3½" D x 16½" L 120W Original         Model 10.5120F Model 10.5180F       72W Original 240W Original       (24) 3W LEDs (60) 3W LEDs       7200 LM       8A Max 5" H x 3½" D x 44½" L 180W Original       11A Max 60) 3W LEDs       7200 LM       8A Max 5" H x 3½" D x 44½" L 15A Max 5" H x 3½" D x 44½" L         Model 10.5180F Model 10.61060F.AWA       Model 10.6120F.RWW       Model 10.6120F.AWA       Model 10.6120F.RWW       Model 10.6120F.AWA         Model 10.6150F.BWW       Model 10.6180F.AWW       Model 10.6120F.RWB       Model 10.6120F.RWB       Model 10.5240F.BWB         Model 10.5072F.RWB       Model 10.5120F.RWR       Model 10.6120F.RWB       Model 10.5240F.BWB       Model 10.5240F.BWB       Model 10.5240F.BWB	Model 10.6120F	120W Low-Profile	(24) 5W LEDs	13200 LM	4.5A Max	2¼" H x 278" D x 25¾" L
Model 10.6210F Model 10.6240F       210W Low-Profile       (42) 5W LEDs       23100 LM       8.1A Max       2¼" H x 2½" D x 43½" L         Model 10.6240F       240W Low-Profile       (48) 5W LEDs       26400 LM       9.5A Max       2¼" H x 2½" D x 49½" L         Model 10.5072F       72W Original       (24) 3W LEDs       4200 LM       4A Max       5" H x 3½" D x 16½" L         Model 10.5120F       120W Original       (24) 3W LEDs       7200 LM       8A Max       5" H x 3½" D x 24½" L         Model 10.5180F       180W Original       (40) 3W LEDs       10800 LM       11A Max       5" H x 3½" D x 34%" L         Model 10.5240F       240W Original       (80) 3W LEDs       12600 LM       15A Max       5" H x 3½" D x 44½" L         Model 10.5240F       240W Original       (100) 3W LEDs       12600 LM       15A Max       5" H x 3½" D x 54½" L         Model 10.6060F.AWA       Model 10.6120F.RWW       Model 10.6210F.AWB       Model 10.6200F.RWR         Model 10.6150F.BWW       Model 10.6180F.AWW       Model 10.6200F.RWB       Model 10.5240F.BWB         Model 10.5072F.RWB       Model 10.5120F.RWR       Model 10.5240F.BWB       Model 10.5240F.BWB	Model 10.6150F	150W Low-Profile	(30) 5W LEDs	16500 LM	5.5A Max	2¼" H x 2%" D x 31¾" L
Model 10.6240F       240W Low-Profile       (48) 5W LEDs       26400 LM       9.5A Max       244" H x 27%" D x 49½" L         Model 10.5072F       72W Original       (24) 3W LEDs       4200 LM       4A Max       5" H x 3½" D x 16½" L         Model 10.5120F       72W Original       (40) 3W LEDs       7200 LM       8A Max       5" H x 3½" D x 16½" L         Model 10.5120F       120W Original       (40) 3W LEDs       7200 LM       8A Max       5" H x 3½" D x 34½" L         Model 10.5120F       120W Original       (60) 3W LEDs       10800 LM       11A Max       5" H x 3½" D x 34½" L         Model 10.5240F       240W Original       (80) 3W LEDs       12600 LM       15A Max       5" H x 3½" D x 44½" L         Model 10.6300F       300W Original       (100) 3W LEDs       14400 LM       19A Max       5" H x 3½" D x 54½" L         Model 10.61060F.AWA       Model 10.6120F.RWW       Model 10.6180F.AWW       Model 10.6090F.RWR         Model 10.6150F.BWW       Model 10.6180F.AWW       Model 10.6090F.RWR         Model 10.5072F.RWB       Model 10.5120F.RWR       Model 10.52240F.BWB         Model 10.5072F.RWB       Model 10.5120F.RWR       Model 10.5240F.BWB         Model 10.5180F.AWA       Model 10.5300F.AWB       Model 10.5300F.AWB	Model 10.6180F	180W Low-Profile	(36) 5W LEDs	19800 LM	7.1A Max	2¼" H x 2%" D x 37½" L
Model 10.5072F Model 10.5120F Model 10.5120F Model 10.5180F Model 10.5240F Model 10.5240F Model 10.500F Model 10.500F Model 10.500F Model 10.6500F.AWA Model 10.6120F.RWB Model 10.6150F.BWW Model 10.6180F.AWB Model 10.5072F.RWB Model 10.5120F.RWB Model 10.5120F.RWB Model 10.5240F.BWB Model 10.5120F.RWB Model 10.5240F.BWB Model 10.5240F.BWB Model 10.5240F.BWB Model 10.5240F.BWB Model 10.5240F.BWB Model 10.5240F.BWB Model 10.5240F.BWB	Model 10.6210F	210W Low-Profile	(42) 5W LEDs	23100 LM	8.1A Max	2¼" H x 2%" D x 43½" L
Model 10.5120F Model 10.5180F Model 10.5240F Model 10.5300F Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5180F.AWA Model 10.5180F.AWA	Model 10.6240F	240W Low-Profile	(48) 5W LEDs	26400 LM	9.5A Max	2 <sup>1</sup> ⁄ <sub>4</sub> " H x 2 <sup>7</sup> ⁄ <sub>8</sub> " D x 49 <sup>1</sup> ⁄ <sub>2</sub> " L
Model 10.5120F Model 10.5180F Model 10.5240F Model 10.5300F Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5180F.AWA Model 10.5180F.AWA	Model 10 5072E	72W Original	(24) 3W/ LEDc	4200 I M	10 May	5" H v 316" D v 1616" I
Model 10.5180F Model 10.5240F Model 10.5240F Model 10.5300F Model 10.5300F Model 10.6060F.AWA Model 10.6120F.RWW Model 10.6150F.BWW Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5240F.BWB		5				
Model 10.5240F 240W Original (80) 3W LEDs 12600 LM 15A Max 5" H x 3½" D x 44½" L Model 10.5300F 300W Original (100) 3W LEDs 14400 LM 19A Max 5" H x 3½" D x 54½" L Model 10.6060F.AWA Model 10.6120F.RWW Model 10.6210F.AWB Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6090F.RWR Model 10.6240F.RWB Model 10.5240F.BWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB		5	( )			
Model 10.5300F 300W Original (100) 3W LEDs 14400 LM 19A Max 5" H x 3½" D x 54½" L Model 10.6060F.AWA Model 10.6120F.RWW Model 10.6210F.AWB Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6090F.RWR Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5120F.RWR		-				
Model 10.6060F.AWA Model 10.6120F.RWW Model 10.6210F.AWB Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6090F.RWR Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5120F.RWR		5	( )			
Model 10.6060F.AWA Model 10.6120F.RWW Model 10.6210F.AWB Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6090F.RWR Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.51300F.AWB	Woder 10.55001		(100) 300 LLDS	14400 LIVI		J 11 X J72 D X J472 L
Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6090F.RWR Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5300F.AWB						****
Model 10.6150F.BWW Model 10.6180F.AWW Model 10.6090F.RWR Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5300F.AWB	Model 10.6060F.AWA	Model 10.612	0F.RWW		Model	10.6210F.AWB
Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5300F.AWB	************	*********	*******		*******	***
Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5300F.AWB	- Model 10.6150	)F.BWW	Mode	l 10.6180F.A	ww	Model 10.6090F.RWR
Model 10.6240F.RWB Model 10.5072F.RWB Model 10.5120F.RWR Model 10.5240F.BWB Model 10.5180F.AWA Model 10.5300F.AWB						
Model 10.5180F.AWA Model 10.5300F.AWB						
Model 10.5180F.AWA Model 10.5300F.AWB						
Model 10.5180F.AWA Model 10.5300F.AWB	Model 10 5072E DWP	Model 10 51			Madal	
			20F.RWR		Model	10.3240F.DWD
SHO-ME	Model 10.51	80F.AWA		Мо	odel 10.530	DOF.AWB
SHO-ME						
	SHO-ME					



14400 LM 19.0A Max 4<sup>1</sup>/<sub>2</sub>" H x 3<sup>1</sup>/<sub>2</sub>" D x 54<sup>1</sup>/<sub>2</sub>" L

(100) 3W LEDs

Model 10.8300.W00

300W

# LED Scene Lighters 10.8500 Series

- Vertical mounting brackets enable these LED scene lights to illuminate large areas.
- IP67 rated for moisture and dust resistance.
- Available with in-line, water-resistant, push-button switch(es) or use a remote 12V - 24V switch (sold separately).
- Swivel-mount models are compatible with Unity<sup>®</sup> mounting brackets. Pipe-mount models attach to existing vehicle mounts or to a portable tripod (sold separately).
- 12V 24V / 2 Year Warranty



- One 72W light head placed in choice of pipe-mount or swivel-mount U-bracket.
- 24 LEDs / 4200 LM / 4A Max
- Overall dimensions: 8" H x 3½" D x 14½" L .

Model shown: 10.8571SW.0SV

#### Double LED Scene Lighter Model 10.8572

- Two 72W light heads stacked within your choice of (1) pipe-mount or (1) swivel-mount U-bracket.
- 48 LEDs / 8400 LM / 8A Max
- Overall dimensions: 11" H x 3½" D x 14½" L.
- Model shown: 10.8572SW.00P


#### Pivoting LED Scene Lighter Model 10.8574

- Two 72W light heads in individual U-brackets joined by a pivot mechanism.
- 48 LEDs / 8400 LM / 8A Max
- Overall dimensions: 11<sup>3</sup>/<sub>4</sub>" H x 3<sup>1</sup>/<sub>2</sub>" D x 14<sup>1</sup>/<sub>2</sub>" L.

Model shown: 10.8574SW.00P with optional Tripod Light Stand and AC-DC Power Supply.







#### 1-800-641-4098





SHO-ME



Model 12.6501

Off Road - Scene Lights / LED Work Lights

- SHO-OFF<sup>®</sup> LED modules have reflectors surrounding six, steadyburning, white, 3W LEDs.
- T-slot channels simplify mounting.
- Clear lens cover protects LEDs.
- Includes a 15' cable and "L" brackets.
- Standard 12V but can adapt to 24V with an optional converter.
- Made in the U.S.A. / 5 Year Warranty

(12) 3W LEDs 1.5A Max 2<sup>1</sup>/<sub>4</sub>" H x 2<sup>3</sup>/<sub>8</sub>" D x 5<sup>3</sup>/<sub>8</sub>" L

Model 12.6502	(24) 3W LEDs	3.0A Max	2¼" H x 2¾" D x 11¾" L
Model 12.6503	(36) 3W LEDs	4.5A Max	2¼" H x 2¾" D x 18" L
Model 12.6504	(48) 3W LEDs	6.0A Max	2¼" H x 2¾" D x 24" L
Model 12.6505	(60) 3W LEDs	7.5A Max	2¼" H x 2¾" D x 30¼" L
Model 12.6506	(72) 3W LEDs	9.0A Max	2¼" H x 2¾" D x 41¾" L



#### **MEGA LED Work Lights** 10.7000 Series

- Suitable for any 12V 24V system.
- IP67 rated for moisture and dust resistance.

Model 10.7015.W00

Model 10.7027.W00

Model 10.7048.W00

Model 10.7027R.W00

Model 10.7018R.W00

- Cast aluminum alloy housings resist rust.
- Adjustable stud-mount bracket with hardware.
- Includes mounting kit and 15" double-insulated cable.
- 2 Year Warranty



Shown above: Model 10.7027R.W00 Shown above: Model 10.7048.W00





Model

Model

10.7015.W00



Model

10.7018R.W00

Model 10.7027.W00

Model 10.7027R.W00 10.7048.W00

5<sup>3</sup>/<sub>8</sub>" H x 1<sup>1</sup>/<sub>2</sub>" D x 4<sup>1</sup>/<sub>4</sub>" L (5) 3W LEDs 1100 LM 1A Max (6) 3W LEDs 1300 LM 1A Max 53/8" H x 11/2" D x 41/2" L (9) 3W LEDs 2000 LM 2A Max 5<sup>3</sup>/<sub>8</sub>" H x 2<sup>5</sup>/<sub>8</sub>" D x 4<sup>1</sup>/<sub>4</sub>" L (9) 3W LEDs 2000 LM 53/8" H x 2" D x 41/2" L 2A Max (16) 3W LEDs 2900 LM 53/8" H x 25/8" D x 41/2" L 3A Max

Alwave S	triving t	o Exceed	Vour Evr	ectation





# Rechargeable Lights

- Recyclable 6V, 4.5A/H sealed lead-acid battery.
- Non-conductive housing has adjustable base.
- Weather-proof toggle switches.
- Choice of DC plug-in, DC hardwire or AC charger.
- Measures 5<sup>1</sup>/<sub>8</sub>" Diameter x 9" Long.
- Made in the U.S.A.

Visit www.able2products.com to view charging centers.



Available in four colors.



Includes choice of charger.





#### Model 09.201LED Spot / Flood LED Light

- One 5W LED projects a narrow 3° spot beam for up to eight hours per charge.
- An outer ring of 20 LEDs creates a wide-angle flood light for up to 50 hours per charge.

#### Model 09.34LED Flood LED Light

- Metallized reflective chambers intensify the light generated by 34 high-intensity LEDs.
- Capable of 25+ hours of continuous run time on a fully-charged battery.





#### Model 09.AB70 Halogen Spot Light

• 25,000 CP GE<sup>®</sup> halogen spot bulb.

Model 09.AB71 Halogen Flood Light

• 550 CP GE<sup>®</sup> halogen flood bulb





Model 09.AB72 Emergency Halogen Spot Model 09.AB73 Emergency Halogen Flood Model 09.EM201LED Emergency Spot / Flood LED Model 09.EM34LED Emergency Flood LED

- Same features as standard LED and halogen models with the added benefit of "Emergency ON" circuitry.
- When the power to the charger is interrupted, the mounted light automatically turns on to provide safety lighting.
- Designed for indoor locations.

SHO-ME





Model 06.0300

Model 06.0500

Side View

#### **Hi-Intensity Lights** 06 Series

- 12V PAR 46 bulbs in black ABS plastic housings.
- Convenient thumb-operated power switch.
- Tiled handle provides a comfortable grip.
- Standard 10' straight cord with an adapter plug.
- Optional mounting clip sold separately.
- Housing measures 10<sup>1</sup>/<sub>2</sub>" H x 4<sup>1</sup>/<sub>2</sub>" D x 6" L.
- 2 Year Warranty

#### Incandescent Spot Lights

Model 06.0200 7.7A / 200,000 CP / 100W Model 06.0300 11.5A / 300,000 CP / 150W

#### LED Spot Light

Model 06.0500 2.5A / 2,000 LM / 30W



#### **Portable Spot Lights 08** Series

- 12V PAR 36 spot, spot / flood or flashing spot lights.
- Rust and impact resistant ABS plastic housings.
- Optional snap-on lenses are available in amber, blue, green and red. Sold separately. (Compatible with all models except Model 08.201LED.)
- Housing-mounted switches.
- Models with magnetic or magnetic swivel bases have (1) 90 lb-pull magnet.
- Standard 12' straight cord with an adapter plug.
- Housing measures 4<sup>3</sup>/<sub>4</sub>" Diameter x 5<sup>1</sup>/<sub>8</sub>" D.
- Made in the U.S.A. / 2 Year Warranty

#### Halogen or Incandescent Spot Lights

- Steady beam has range of up to one mile.
- Standard slide switch. (Optional momentary switch.)
- Handheld, magnetic or magnetic swivel base.

#### Incandescent

Model 08.0335 2.3A / 35,000 CP / 30W

Halogen Model 08.0375 3.9A / 100,000 CP / 50W

#### Incandescent Flashing Spot Lights

- Projects either a steady light beam or 90 FPM.
- Three-position toggle switch: flashing, off, steady.
- Magnetic or magnetic swivel base only.
- 2.3A / 35,000 CP / 30W

Model 08.0327 Magnetic Base Model 08.0329 Swivel Magnetic Base



separately.



Model 08.0327 with Magnetic Base



Model 08.201LED.SV8 with Magnetic Swivel Base (Not compatible with snap-on lenses.)

#### LED Spot / Flood Light

- (1) center 5W LED produces a 3° spot beam.
- (20) outer LEDs create a wide-angle flood beam.
- Three-position toggle switch: spot, off, flood.
- Handheld, magnetic or magnetic swivel base.
- Not compatible with snap-on lenses.

### Emergency Scene Light 16.0550.4007

- PAR 46 incandescent spot / flood light pivots 170° vertically and 360° horizontally.
- Chrome-plated brass body has a housing-mounted switch and 12' pigtail wiring.
- Housing measures 9<sup>1</sup>/<sub>2</sub>" H x 6<sup>1</sup>/<sub>2</sub>" W x 6" D.
- 100W / 200,000 CP Spot / 50,000 CP Flood
- 12V / 7.7A Max / Made in the U.S.A. / 2 Year Warranty



# LED Spot / Flood Work Light

- PAR 36 LED spot / flood bulb has (1) center 5W LED for a 3° spot beam and (20) outer LEDs for a flood beam.
- Rubber housing has an adjustable bracket.
- Standard pigtail wiring. (Remote switch sold separately.)
- Magnet base, switch and adapter plug available for an extra charge.
- Measures 6" H x 4<sup>3</sup>/<sub>4</sub>" W x 4" D (including bracket)
- 12V / 0.5A Max / Made in the U.S.A. / 5 Year Warranty

#### Golight<sup>®</sup> Remote Control Spot Light Model 16.7900

- Two-speed, remote-controlled, portable halogen searchlight.
- Motorized 370° horizontal rotation and 135° vertical tilt.
- Programmable, wireless remote control with 100' range.
- Selectable fast and slow rotation speeds.
- Mounts temporarily with a mechanical suction cup or permanently with a gasket and removable shoe base.
- 15' power cord with adapter plug for 12V DC.
- 5.5A Max / 400,000 CP / 65W
- Measures 8" H x 7" D x 7" L / 2 Year Warranty

# **Replacement Bulbs**

#### **Incandescent Bulbs**



**93.4007 PAR 46 Spot/Flood** 200,000 / 50,000 CP 5½" Diameter



**93.4416 PAR 36 Spot** 35,000 CP 4<sup>1</sup>⁄<sub>2</sub>" Diameter

**93.4537-2 PAR 46 Spot** 200,000 CP 5<sup>1</sup>/<sub>2</sub>" Diameter

SHO-ME

#### **Halogen Bulbs**



**09.H7550 PAR 36 Spot** 25,000 CP 4<sup>1</sup>⁄<sub>2</sub>" Diameter



**09.H7551 PAR 36 Flood** 550 CP 4<sup>1</sup>⁄<sub>2</sub>" Diameter

93.H7604 PAR 36 Spot 100,000 CP 4½" Diameter



#### 1-800-641-4098



#### **Triple Outlet Box** Model 14.0553

- Operate as many as three items at once.
- Sturdy fully-enclosed plastic box has chrome accents.
- Attached plastic plugs keep out dirt and moisture.
- 15 Amp automatic re-set circuit breaker.
- Includes 3' wire for installation in vehicle or boat.
- Measures 15/8" H x 31/4" D x 6" L.
- 12V / 15A Total
- Made in the U.S.A. / 2 Year Warranty

#### **Multi-Port Accessory Box** Model 14.0434

- Accommodate up to seven accessories with this space-saving multi-port accessory center.
- Includes (4) 5VDC USB ports with each pair of ports rated at 2.4A total. Individual ports can handle 1.2A each or one port of each pair can handle up to 2.4A total.
- Three 12VDC outlets provide a total of 15A for accessories like spotlights and air compressors.



- A 15A automatic re-set circuit breaker provides overload protection.
- Box measures 2" H x 3<sup>1</sup>/<sub>4</sub>" D x 6" L.
- Made in the U.S.A. / 2 Year Warranty



#### Switch / Outlet Combos Models 14.0370 / 14.0373

- Switch illuminates fully when the outlet is activated.
- Compact, open-back, powder-coated panel.
- Replaceable blade-type fuse for added safety.
- 12V / 15A Per Outlet
- Made in the U.S.A. / 2 Year Warranty

#### **Accessory Outlets** Models 14.0570 / 14.0571 / 14.6613

- Ideal for use in autos, trucks, boats and campers.
- Attractive chrome finish.
- 12V / 2 Year Warranty



Model 14.0570





Model 14.6613

# **Multi-Function Switch Boxes 05 Series**

• Fully-illuminated SPST rocker switches.

• Fully-enclosed housings.

- Pre-wired for simple installation.
- 12V / Made in the U.S.A. / 2 Year Warranty
- Includes an adjustable bail bracket and all necessary wiring.

	<b>Four-Function</b>	Switch Boxes 2 <sup>1</sup> / <sub>4</sub> " H x 3 <sup>7</sup> / <sub>8</sub> " D x 4 <sup>1</sup> / <sub>2</sub> " L
	Model 05.4000	Adhesive labels (4) individually fused, 20A switches
<b>6 6 6 6</b>	Model 05.4004	Backlit legends (4) individually fused, 20A switches
	Model 05.4040	Adhesive labels (1) switch with a 40A relay and a 40A circuit breaker (3) individually fused 20A switches
Models 05.4000 & 05.4040	Model 05.4044	Backlit legends (1) switch with a 40A relay and a 40A circuit breaker (3) individually fused 20A switches



Six-Function S	witch Boxes 2 <sup>1</sup> / <sub>4</sub> " H x 5" D x 6" L
Model 05.6000	Backlit legends (6) individually fused, 20A switches
Model 05.6040	Backlit legends (1) switch with a 40A relay and a 40A circuit breaker (5) individually fused 20A switches




#### Seven-Function Switch Box 21/4" H x 5" D x 6" L

#### Model 05.5540

Backlit legends

- (1) three-position progressive slide switch which has
- (3) 40A relays & (3) 30A (Type 2) auto re-set circuit breakers
- (4) individually fused 20A switches for auxiliary functions



SHO-ME

Models

05.4004 & 05.4044

#### 1-800-641-4098

MADE IN

# Undercover Switch Boxes & Sirens with Mini Controllers 31 Series

- All 31 Series models include a remote mini controller for discrete operation of lights, sirens or accessories.
- LED lights illuminate each tactile switch and highlight the selected function for night use.
- Plug-in connectors simplify installation.
- Mini Controller measures 1<sup>7</sup>/<sub>8</sub>" H x <sup>1</sup>/<sub>2</sub>" D x 3<sup>1</sup>/<sub>8</sub>" L approximately the length and height of a credit card.
- 12V / Made in the U.S.A. / 2 Year Warranty
   Actual Size
   of Mini Controller



#### Undercover Switch Boxes with Mini Controllers

Each Relay Box has (4) 15A outputs and measures 2<sup>3</sup>/<sub>8</sub>" H x 5<sup>3</sup>/<sub>8</sub>" D x 4<sup>3</sup>/<sub>8</sub>" L.



#### Model 31.4040

- Four-output undercover switch box includes: (1) remote controller
  - (1) relay box with all necessary wiring



#### Model 31.8040

- Eight-output undercover switch box includes: (1) remote controller
  - (1) master relay box with wiring
  - (1) slave relay box with wiring



#### Undercover Siren-Switch Box with Mini Controller Model 31.2515.4040

- The Mini Controller operates four 15A outputs and four digitally-enhanced siren sounds.
- Powers one 100W speaker. (Sold separately.)
- Relay Switch Box & Siren Amplifier measure 23/8" H x 53/8" D x 43/8" L each. / 10A Average 15A Max





#### Eight-Function Undercover Siren with Mini Controller Model 31.2515

- Mini Controller operates 8 sounds: Wail, Yelp, Warble, Whoop, Air Horn, Hi-Lo, Phaser and Intersection Mode.
- Powers one 100W speaker. (Sold separately.)
- Amplifier measures 23/8" H x 53/8" D x 43/8" L.
- 10A Average 15A Max



12 Operational ModesWarbleWhoopHi-LoAir HornWailYelpPhaserPAStandbyTapIntersectionModeRadio Re-Broadcast



Combines siren and switch controls in one streamlined housing.

### Siren & Switch Box Combo Model 30.2400

- Provides 12 amplifier modes (including the unique intersection mode) PLUS control of up to seven auxiliary functions from one convenient location.
- The hard-wired, noise-cancelling PA microphone has a momentary push-to-talk button on one side; variable volume control, mic clip and a tangle-resistant 4' coiled cord.
- A three-position progressive slide switch and four push-button on/off switches operate seven auxiliary functions. Each slide switch position and pushbutton switch is rated at 10A. The total for all switches cannot exceed 30A.
- Illuminated faceplate improves nighttime visibility.
- LED lights indicate status of auxiliary function.
- Powers one 100W RMS speaker. (Sold separately.)
- Solid-state electrical components and durable parts provide years of dependable service.
- Bracket, wiring and plug-in connectors included.
- Measures 3" H x 6<sup>1</sup>/<sub>2</sub>" D x 6" L.
- 12V / Made in the U.S.A. / 2 Year Warranty

#### Full-Feature and Full-Feature Plus Dash-Mount Sirens Models 30.2100 / 30.2200

- Be ready for emergencies with these multi-function sirens featuring distinctive Intersection Mode.
- Both models come with a hard-wired, noisecancelling PA microphone with a momentary push-to-talk button on one side. Variable volume control, mic clip and tangle-resistant 4' coiled cord simplify operation.
- Illuminated faceplates improve visibility in the dark.
- Engineered to withstand high-voltage spikes.
- Tap and Air Horn are horn-ring adaptable.
- Powers one 100W RMS speaker. (Sold separately.)
- Bail bracket, wiring and plug-in connectors included.
- Dimensions: 2<sup>1</sup>/<sub>4</sub>" H x 6<sup>1</sup>/<sub>2</sub>" D x 6" L.
- 12V / 10A Average
- Made in the U.S.A. / 2 Year Warranty



SHO-ME

#### Model 30.2100 Full-Feature Siren

Air Horn Wail Yelp Tap PA Phaser Standby Intersection Mode Radio Rebroadcast



Model 30.2200 Full-Feature Plus SirenWarbleWhoopHi-LoAir HornWailYelpPhaserTapStandbyPAIntersection ModeRadio Re-Broadcast

32

# **100W Dash-Mount Sirens 30 Series**

- Solid-state electronics are engineered to withstand Bail bracket and wiring included. high-voltage spikes and reverse polarity.
  - - 121 dB at 10 ft (with Model 30.0210 speaker.)

• 12V / 10A Avg / Made in the U.S.A. / 2 Yr Warranty

• Powers (1) 100W RMS speaker. (Sold separately.)



#### **Three-Function Dash-Mount Sirens** Models 30.3106 / 30.3109

Streamlined design has LED mode indicator lights, (1) three-position rocker switch that controls Wail and Yelp tones, and (1) momentary rocker switch that controls Phaser sound (Model 30.3106) or Air Horn sound (Model 30.3109). Dimensions: 1<sup>3</sup>/<sub>8</sub>" H x 6" D x 6" L.




#### Warble / Whoop Dash-Mount Siren Model 30.2330



Compact unit has (2) lighted rocker switches - one for power and one for Warble / Whoop tones. Dimensions: 1<sup>3</sup>/<sub>8</sub>" H x 6" D x 6" L.



#### **Dash-Mount Amplifier** Model 30.2108



Illuminated faceplate. Size: 2<sup>1</sup>/<sub>4</sub>" H x 6<sup>1</sup>/<sub>2</sub>" D x 6" L.



**Four-Function Siren** Model 30.3104

Features LED mode indicator lights, (2) momentary switches for Air Horn and Phaser plus (2) on/off switches for Wail and Yelp functions. Dimensions: 1<sup>3</sup>/<sub>8</sub>" H x 6" D x 6" L.

#### **Back-Up Alarms** Models 13.0030 / 13.0040

- Keep work zones safe.
- Solid-state electronics.
- Spike and polarity protected.
- High-impact, corrosion-proof housings.
- Steam-cleanable.
- 12V 24V / 2 Year Warranty
- Made in the U.S.A.



**Back-Up Switch** Model 13.0134 Alarm activates when vehicle is in reverse. (Sold separately.)



Multi-Purpose Alarm Model 13.0030 Self-Adjusting 87 to 112 dB / 1.0A 31/8" H x 4" D x 5" L



**Economy Alarm** Model 13.0040 Conforms to SAE J994 Type C 97 dB / 0.2A 25/8" H x 15/8" D x 4" L

#### Always Striving to Exceed Your Expectations

# 100W Undercover Sirens 30 Series

- Dependable, solid-state electrical components.
- 121 dB at 10 ft (with Model 30.0210 speaker.)
- Includes wire assembly and switch panel.
- Compact controls free up space inside vehicle.Powers (1) 100W RMS speaker. (Sold separately.)
  - .) Amplifiers measure 2<sup>3</sup>/<sub>8</sub>" H x 5<sup>3</sup>/<sub>8</sub>" D x 4<sup>3</sup>/<sub>8</sub>" L.
  - 12V / 10A Average / Made in the U.S.A. / 2 Year Warranty

#### Three-Function Undercover Sirens Models 30.2106 / 30.2109

Amplifier comes with a remote switch panel that has:

- (1) center-off rocker switch for Wail and Yelp tones
- (1) momentary rocker switch for either Phaser (Model 30.2106) or Air Horn (Model 30.2109 shown)

Switch measures:  $2" H \times 1\frac{3}{4}" D \times 2" L$ .



#### Four-Function Undercover Siren Model 30.2104

Amplifier comes with a remote switch panel that has:

- (1) center-off rocker switch for Wail and Yelp tones
- (1) center-off momentary switch for Phaser and Air Horn Switch measures: 2" H x  $1\frac{3}{4}"$  D x 2" L.



#### Warble / Whoop Undercover Siren Model 30.2220

Amplifier comes with a remote switch panel that has:
(1) center-off rocker switch for Warble and Whoop tones
Switch measures: 1<sup>3</sup>/<sub>4</sub>" H x 2<sup>1</sup>/<sub>2</sub>" D x 2<sup>1</sup>/<sub>4</sub>" L.





# **Compact 100W Speakers**



#### 100W Slim Speaker Model 30.0200

- Rugged, rust-resistant, cast aluminum housing has three sound channels that provide a clear tone with a long-distance spread.
- Works with any 100W siren. (Sold separately.)
- Field-replaceable voice coil.
- Impedance: 11 ohms at 1 Khz.
- Frequency range: 375 5000 Hz
- Fully assembled with a standard bail bracket.
- Measures 7<sup>1</sup>/<sub>2</sub>" H x 3" D x 7<sup>3</sup>/<sub>4</sub>" L with bracket.

#### Sound Burst Speaker Model 30.0300

- Rounded corners create a small profile that fits in tight spaces and concealed installations.
- Constructed of heavy-duty nylon composite.
- Multiple sound channels provide a clear tone.
- Works with any 100W siren. (Sold separately.)
- Impedance: 11 ohms at 1 Khz.
- Fully assembled with a removable "L" bracket.
- Measures  $7\frac{1}{2}$ " H x  $3\frac{1}{2}$ " D x  $6\frac{1}{2}$ " L with bracket.



www.able2products.com

s



# **100W RMS Speakers 30 Series**

- Manufactured to withstand heavy use.
- Use with any 100W siren. (Sold separately.)
- Aluminum housings have a baked enamel finish.
- Standard bracket permits full axis orientation.

#### Standard-Profile Speaker Model 30.0210

**Concealed Scoop Speaker** 

• For concealed installation in front of

or behind the radiator, in a light bar, near the fender or under the hood. • Comes with Model 30.0217P plastic scoop.

Overall dimensions: 4<sup>1</sup>/<sub>2</sub>" H x 4<sup>1</sup>/<sub>4</sub>" D x 10<sup>3</sup>/<sub>8</sub>" L.

Model 30.0215P

**Round Bell Speaker** 

Compact size makes this speaker

• Comes with Model 30.0251 aluminum bell.

• Overall dimensions: 6" Diameter x 5<sup>1</sup>/<sub>2</sub>" D.

ideal for use on motorcycles.

Model 30.0219.BLK

- Designed to fit most traditional light bars.
- Comes with Model 30.0212 plastic bell.
- Overall dimensions: 5<sup>1</sup>/<sub>4</sub>" H x 6" D x 8" L.

- Field-serviceable driver, voice coil, bell and tip.
- Impedance: 11 ohms at 1 Khz
- Frequency: 375 8000 Hz / 120 dB 10' on axis.
- 12V / 2 Year Warranty







Without Threads

30.0231 Voice Coil Not shown: 30.0233 for 30.0200



#### Megaphone Model 19.0155

- Handheld megaphone has a pistol-grip handle with a trigger switch for one-handed operation.
- Adjustable volume can clearly project without strain to an acoustic range of <sup>3</sup>/<sub>4</sub> to 1 mile.
- Rated power output of 15 watts (20 watt max).
- Voice mode alternates with a built-in siren for emergency situations.
- Uses eight "C" dry cell batteries (not included).
- 9<sup>1</sup>/<sub>8</sub>" diameter bell / 14<sup>5</sup>/<sub>8</sub>" long / 2 Year Warranty

# Always Striving to Exceed Your Expectations

#### LED Map Lights Models 13.0309 / 13.0310

- Flexible goose-neck design focuses bright light where it is needed most.
- Sturdy metal components are built for the rigors of the road.
- Clear lens protects LEDs.
- 60,000 hours average life at 12V
- 4000K Color Temperature / 85 Ra CRI
- 12V / 0.15 Amps / 1.5 Watts

Single Color Model

11.6112.W00

Bi-Color Models 11.6116.RW0 11.6124.RW0

• Made in the U.S.A. / 5 Year Warranty

#### Model 13.0310

12" Portable Map Light (right)

- Temporary task light with white LEDs plugs into a 12V accessory outlet.
- Does not have an on / off switch.

#### Model 13.0309 (left)

#### 18" Permanent Mount Map Light

- Red and white LEDs
- 3-way rotary switch
- Cord exits at bottom for flush mounting.
- Includes wiring kit and gooseneck clip.

## LED Dome Lights Models 11.6112 / 11.6116 / 11.6124

- Ideal for utility, horse or van trailers.
- Direct-wire fixtures have energy-efficient LEDs.
- Durable aluminum base with white acrylic lens.
- Push-button power switch(es). Red-white LED models have two push-button switches that enable independent operation of each color.
- 12V / 13/8" H x 6" Diameter / Made in the U.S.A.

Model 11.6112.W00	12 White LEDs	0.10A
Model 11.6116.RW0	40 White LEDs - 12 Red LEDs	0.65A
Model 11.6124.RW0	12 White LEDs - 12 Red LEDs	0.15A



#### Horizontal Equipment Racks Models 07.0200 / 07.0300 / 07.0400 / 07.1002

- Horizontally house electronics without interference to the driver or air bags.
- Adaptable to bucket- and bench-style seating.
- Optional mounting brackets. (Sold separately.)
- Made in the U.S.A. / 2 Year Warranty

 Model
 07.0200
 9¼" H x 8¾" W x 7½" L

 Model
 07.0300
 9¼" H x 8¾" W x 7½" L

 Model
 07.0400
 9¼" H x 8¾" W x 1½" L

 Model
 07.0400
 9¼" H x 8¾" W x 10¼" L

 Model
 07.1002
 9¼" H x 8¾" W x 26¼" L

Two Unit Three Unit Four Unit Four Unit w/ Arm Rest

SHO-ME

Model 07.0200 Model 07.0300

#### 1-800-641-4098

Model

07.1002

Model

07.0400

# **Electronic Gun Locks**

Securely transport weapons and prevent theft. Designed to protect gun finish. 12 Volt / Direct Wire / 2 Year Warranty

# **Standard Electronic Gun Lock** Model 07.0710

- Accommodates Remington 870 shotguns.
- Manually unlocks with any standard handcuff key (not included).
- Includes momentary switch and hardware.
- Exterior measures 3<sup>1</sup>/<sub>4</sub>" H x 3" W x 3" L. Interior measures 2<sup>1</sup>/<sub>4</sub>" H x 1<sup>1</sup>/<sub>4</sub>" W max.



Remote momentary switch enables instant access.

Bolts to existing gun rack.

# **Adjustable Electronic Gun Lock** Model 07.7002

- Adjustment plate customizes interior for a variety of weapons including an AR-15.
- Key override permits access if power fails.
- With momentary switch, 2 keys & hardware.
- Exterior measures 4<sup>1</sup>/<sub>4</sub>" H x 3" W x 4<sup>3</sup>/<sub>8</sub>" L. Interior measures 2 - 2<sup>3</sup>/<sub>4</sub>" H x 2<sup>1</sup>/<sub>2</sub>" W max.



# Multi-Purpose Gun Lock Model 07.7015

- Bracket top latches in 1/8" increments to enclose different weapons.
- Key override permits access if power fails.
- Includes momentary switch, two keys and hardware.
- Exterior measures 6" H x 3" W x 3" L.

# Timers

Improve safety, protect critical equipment and prevent dead batteries. 12 Volt / Made in the U.S.A. / 2 Year Warranty



- Enables access to weapon with one hand.
- The remote momentary switch holds the gun lock open for 8 seconds before it is automatically re-locked.
- Includes momentary switch and "L" bracket.
- Compatible with SHO-ME<sup>®</sup> gun locks. (Sold separately.)
- 11/2" H x 11/4" D x 3" L / Direct Wire





# **Adjustable Accessory Timer** Model 25.3500

- Accessories turn on four seconds after vehicle has been started and remain on for a pre-determined amount of time after ignition is turned off.
- Adjustable from 2 minutes to 33 hours.
- Flush mounts with screws.
- 11/2" H x 5/8" D x 4" L / Direct Wire

LED FLASHERS

# **LED Flashers**

Waterproof, epoxy-sealed electronics provide protection against moisture, vibration and shock.

12 Volt / Made in the U.S.A. / 2 Year Warranty



www.able2products.com

#### 4. Simultaneous **5.** Quad Simultaneous

Model 11.1010SF **Outputs 1-2 OR 3-4** 

**1**. Double Alternating

2. Quad Alternating

3. MEGA Alternating

7. Random

- 6. Quint Simultaneous
- 7. Random

# All Outputs

1. Scan

LED Flasher with Four Selectable Outputs

- 2. Sweep **3.** Alternating  $1 - 2 \rightarrow 3 - 4$
- 4. Quad Alternating 1-2→3-4
- 5. Alternating  $1 3 \rightarrow 2 4$
- 6. Quad Alternating 1-3→2-4
- 7. Random



SHO-ME

- 2A Max per Output
- 6A Max Total
- 2" H x ½" D x 4" L



# 1-800-641-4098

# 38

- 6. MEGA Alternating
- 7. Random



# **Specialty LED Flashers**

Waterproof, epoxy-sealed electronics provide protection against moisture, vibration and shock. Made in the U.S.A. / 2 Year Warranty

# Stop / Tail / Turn LED Flashers

Coordinates auxiliary LED lights with brake lights, tail lights and turn signals.

# Flash Patterns

- 1. Double Alternating
- 2. Double Simultaneous
- 3. Quad Alternating
- 4. Quad Simultaneous
- 5. Quint Alternating
- 6. MEGA Alternating
- 7. Random

# **Tail Light LED Flashers**

Enables existing vehicle tail lights to flash and function as warning lights.

# **Flash Patterns**

- 1. Double Alternating
- 2. Double Simultaneous
- 3. Quad Alternating
- 4. Quad Simultaneous
- 5. Quint Alternating
- 6. MEGA Alternating
- 7. Random



- Two Outputs
- 3A Max per Output
- 6A Max Total
- 2" H x ½" D x 4" W

# Model 11.1010STT

- Four Outputs
- 2A Max per Output
- 6A Max Total
- 3<sup>3</sup>/<sub>4</sub>" H x <sup>7</sup>/<sub>8</sub>" D x 3<sup>5</sup>/<sub>8</sub>" W

# Model 11.1010STT.BTL

#### • Four Outputs

- 2A Max per Output
- 6A Max Total
- 3¾" H x ½" D x 3½" W

# LED Flasher with Directional Patterns Model 11.1010.ARROW

- Four Outputs
- 2A Max per Output
- 6A Max Total
- 2" H x ½" D x 4" L

#### Warning Patterns

- 1. Scan
- 2. Multi-Scan
- **3.** Single Alternating
- **4.** Quad Alternating
- **5.** Quad Alternating  $1 3 \rightarrow 2 4$
- **6.** Single Alternating  $1 3 \rightarrow 2 4$
- 7. Random

#### **Right Arrow Patterns**

- **1.** Scan Right
- 2. Chase Right
- 3. Right Arrow
- 4. Right Arrow Double Flash Ends
- 5. Quad Scan Right
- 6. Quad Right
- 7. Random Right

#### Left Arrow Patterns

- 1. Scan Left
- 2. Chase Left
- 3. Left Arrow
- 4. Left Arrow Double Flash End
- 5. Ouad Scan Left
- 6. Quad Left
- 7. Random Left



- - Model 11.1005STT.BTL • Two Outputs
    - 3A Max per Output
    - 6A Max Total
    - 2" H x ½" D x 4" L







# **Multi-Purpose Flashers**

Reliable, solid-state flashers work with incandescent, halogen and LED lights. Waterproof, epoxy-sealed electronics provide protection against moisture, vibration and shock. Headlight flashers have an override to prevent high-beam headlights from flashing. 12 Volt / 4A per side / Made in the U.S.A. / 2 Year Warranty

# **Random Pattern Flashers**

Six flash patterns:

Double Alternating, Quad Alternating, Quad Simultaneous, 90 FPM Simultaneous, 90 FPM Wig Wag and 120 FPM Wig Wag. 3<sup>3</sup>/<sub>4</sub>" H x <sup>7</sup>/<sub>8</sub>" D x 3<sup>1</sup>/<sub>4</sub>" W

# Model 03.W3125

**Headlight Flasher** Compatible with some daytime running lights. Requires a separate power switch.



# Model 03.W3126 Headlight Flasher

An additional low-current control wire enables operation from an existing low-current switch.



# **Sequential Flasher**

Specify alternating or random.

# Model 03.W3010 Multi-Light Flasher

Controls up to 8 lightheads. (Not for use with headlights.) Three patterns: right to left, left to right and center out. (Specify random mode or alternating mode at purchase.) 6" H x 7/8" D x  $3^3/4"$  W



# **Alternating Flashers**

Custom flash rates available.

# Model 03.W125

**Headlight Flasher** Compatible with some daytime running lights. Requires a separate power switch. 3<sup>3</sup>/<sub>4</sub>" H x <sup>7</sup>/<sub>8</sub>" D x 3<sup>1</sup>/<sub>4</sub>" W 90 FPM per side



# Model 03.W126

Headlight Flasher An additional low-current control wire enables the operation from an existing low-current switch.



 $3^3\!\!\!/4"$  H x  $^\prime\!\!/8"$  D x  $3^1\!\!\!/4"$  W  $\,/\,$  90 FPM per side

# Model 03.W129

Dual Speed Headlight Flasher Choose 80 or 220 FPM per side during installation. 3<sup>3</sup>/<sub>4</sub>" H x 7/<sub>8</sub>" D x 3<sup>3</sup>/<sub>4</sub>" W

Model 03.W132

Grille Light or Deck Light Flasher Designed for use with grille lights OR deck lights. 3<sup>3</sup>/<sub>4</sub>" H x 7/<sub>8</sub>" D x 3<sup>1</sup>/<sub>4</sub>" W / 90 FPM per side

# Bi-Directional Headlight Flasher Model 03.W140



- Electro-mechanical flasher is designed for positive-switching and ground-switching vehicles with halogen or incandescent headlights.
- Choose one of four flash patterns.
- LEDs indicate flash pattern. High-beam override. Optional nighttime cut-off.
- 12V / 4A per side average / Made in the U.S.A. / 2 Year Warranty





# **LED Switches**

Reliable, space-saving controls with single or multiple outputs for LED lights. 12 Volt / Made in the U.S.A. / 2 Year Warranty



## Model 10.0895

- (1) 20A lighted rocker switch
- Mounts under dash with screws.
- 15%" H x 5%" D x 13%" L



## Model 11.1002

- (+) lighted POWER switch
- (+) momentary MODE switch

# **LED Double Switches**

- 2 outputs / 20A max total
  (1) 20A POWER rocker switch
  (1) 15A momentary MODE switch
- (1) ISA momentary MODE switch
- Mounts under dash with screws.
- 2" H x 1¾" D x 2" L

## Model 11.1002GSM

- (+) lighted POWER switch
- (-) momentary MODE switch



# LED Rotary Switch / Flashers

- 6 or 8 outputs / 5A max total
- Rotary switch controls 15 patterns.
- Flash pattern indicator lights.
- Surface mounts with screws.

USA

• 2" H x ½" D x 4" L



# Model 11.1025.006

• Six (-) outputs.

# • 1A per output / 5A max total

# Model 11.1025.008

- Eight (-) outputs.
- 1A per output / 5A max total



# LED Micro Switch Model 11.1012

Use this compact switch to control a flasher or a light with a built-in flasher.

2 outputs / 3A max total
(1) 3A (-) output POWER switch

(1) 3A (+) output momentary MODE switch

- An LED light indicates when switch is powered.
- Durable tactile switches.
- Mounts with double-stick tape (included).
- 11/2" H x 1/2" D x 21/2" L



• 2 outputs / 2A max total

# LED Micro Switch with Built-In Flasher Model 11,1032

Switch & flasher combined in one compact housing.

- (1) 2A (+) output POWER switch
  (1) 2A (+) output momentary MODE switch
- Seven strobe-style flash patterns.
- LED lights indicate selected flash pattern.
- Mounts with double-stick tape (included).
- 1½" H x ½" D x 2½" L



# 24V DC - 12V DC Converter Model 05.2412.020

- 20A converter transforms 24V DC to 12V DC.
- Greater than 90% power conversion efficiency.
- Die-cast aluminum housing epoxy-sealed.
- 100% waterproof. Fused.
- 1<sup>1</sup>/<sub>8</sub>" H x 2<sup>7</sup>/<sub>8</sub>" D x 2<sup>7</sup>/<sub>8</sub>" L / 20A Max / 2 Year Warranty

# **All-Purpose Switches and Accessories**

Browse our selection of replacement interior light switches, relays and circuit breakers.



No.	Model	Description	Amps	Circuit	Light	H x W x D
1	05.0501	Rocker Switch	20 Amp	SPST	Yes	11⁄8" x 5⁄8" x 11⁄2"
2	05.0502	Rocker Switch	15 Amp	SPDT - Center Off	No	11/8" x 5/8" x 13/8"
3	05.0503	Rocker Switch	15 Amp	SPST	Yes	1½" x ¾" x 2"
4	05.0504	2 in 1 Rocker Switch	20 / 20 Amp	SPST / SPST	Yes	11/8" x 11/8" x 11/2"
5	05.0505	Momentary Switch	15 Amp	SPST	No	11⁄8"x 5⁄8" x 11⁄4"
6	05.0514	Toggle - Red On / White Off	15 Amp	SPST	Yes	1 <sup>3</sup> /8" x <sup>3</sup> /4" x 2 <sup>1</sup> /4"
7	05.0525	Double Momentary Switch	15 Amp	SPDT - Center Off	No	1¼" x 5⁄8" x 1¼"
8	05.0700.030	12V Relay	30 Amp	SPST		2" x 11⁄8" x 11⁄8"
9	05.0700.040	12V Relay	40 Amp	SPST		2" x 11⁄8" x 11⁄8"
10	05.0700.075	12V Relay	75 Amp	SPST		1 <sup>3</sup> /8" x 3" x 2 <sup>1</sup> /4"
11	05.0750.010	12V Circuit Breaker	10 Amp	Auto Re-set		1¼" x 1¾" x 2"
12	05.0750.020	12V Circuit Breaker	20 Amp	Auto Re-set		1¼" x 2" x 1¼"
13	05.0750.030	12V Circuit Breaker	30 Amp	Auto Re-set		1¼" x 2" x 1¼"
14	05.0750.040	12V Circuit Breaker	40 Amp	Auto Re-set		1¼" x 2" x 1¼"
15	05.0750.050	12V Circuit Breaker	50 Amp	Auto Re-set		1¼" x 2" x 1¼"

SHO-ME

# Ignition Override Model 05.0915



- Keeps lights, radios, accessories and HVAC operating even after the vehicle ignition is turned off, the ignition key is removed and the doors are locked. Handles up to five circuits.
- After the ignition key is removed, the steering wheel and gear shift are automatically locked for safety.
- Activates with a push-button switch; then easily disengages with a simple tap of the brake pedal.
- Developed for crime scenes, canines and weather.
- MUST be installed by a qualified automotive technician who is familiar with the ignition and electrical systems of the vehicle in which the Ignition Override is to be installed
- Optional wiring kit available sold separately.
- 12V / 11/2" H x 23/4" W x 61/2" L
- Made in the U.S.A. / 2 Year Warranty





# Optional Wiring Kit - Model 05.0917

Includes pushbutton switch, 50A automatic re-set circuit breaker, tie straps, splices, screws, ring terminals and wiring.

# 1-800-641-4098

## Headliner Brackets

10.6404 Headliner Bracket 10.6322 MEGA 63 Light



11.1825 Headliner Bracket 12.1840 Luminator MicroDash Light

#### 11.2026 Headliner Bracket


11.2710 Double Light Stick 11.2715 Triple Light Stick 11.2720 Quad Light Stick 11.2725 Quint Light Stick



#### 11.2825 Headliner Bracket

11.9000 Micro-Lites 12.5003 Luminator Trio Lights

11.8026



Headliner Bracket

11.8000 LED Dash Light



11.8325BRKT Headliner Bracket 11.8300 LEDs By the Inch 11.8341.A-CONT Signal Stick 12.1300 SHO-OFF® Warning Lights

11.8485 Headliner Bracket 11.8400 Bendable BTI LEDs

11.8626 Headliner Bracket 11.8600 Slim Light

#### 12.0101 Headliner with Shield 12.1314 Multi-Purpose Lights

12.1450 Headliner Bracket 12.1400 SHO-OFF® Interior Light Bar

12.4307 Headliner Bracket 10.4322 MEGA 43 Lights

# Visor Brackets

12.6150 Visor Bracket 12.5004 Quad Lights

12.6155 Visor Bracket 12.2809 Dash Lights



12.4303 Single Mt. Bracket 10.4322 MEGA 43 Lights

# 12.5403 Single Mount Bracket

10.6322 MEGA 63 Light 11.9000 Micro-Lites 12.5003 Luminator Trio Lights

12.5404 Single Mt. Bracket 12.5004 Luminator Quad Lights

## **Double Stack Brackets**

12.4304 Double Stack Brkt. 10.4322 MEGA 43 Lights

12.5405 Double Stack Brkt. 12.5004 Luminator Quad Lights

12.5423 Double Stack Bracket 10.6322 MEGA 63 Light 11.9000 Micro-Lites 12.5003 Luminator Trio Lights

# Side by Side Brackets

12.4305 Side by Side Bracket 10.4322 MEGA 43 Lights

12.4306 Side by Side Bracket 10.6322 MEGA 63 Lights

12.5406 Side by Side Bracket 12.5003 Trio Lights 12.5004 Quad Lights

# License Plate Brackets

10.6405 License Plate Bracket 10.4322 MEGA 43 Lights 10.6322 MEGA 63 Lights 12.5003 Luminator Trio Lights

12.4407 License Plate Bracket 11.9000 Micro-Lites

12.5407 License Plate Bracket 12.5004 Quad Lights -

# Suction Cup

90.6091 Suction Cup (single) 11.4472 L Brackets 11.4474 Windshield Brackets 11.4475 Glass Bracket 11.4480 Glass Bracket 12.0101 Headliner with Shield 12.5104 Luminator Dash Pro Lights 12.5204 Luminator Dash Pro II Lights

#### **Dash Brackets**

#### 11.2010 Dash Bracket 11.2710 Double Light Stick 11.2715 Triple Light Stick 11.2720 Quad Light Stick 11.2725 Quint Light Stick

11.8010 Dash Bracket 11.8000 Dash Light



11.8200 Dash Bracket 11.8200 BTI Lights 11.8400 Bendable BTI Lights

11.8310BRKT Dash Bracket 11.8300 By the Inch Lights 11.8341.A-CONT BTI Signal Stick 12.1300 SHO-OFF® Warning Lights

11.8610 Dash Bracket 11.8600 Slim Light



# Flashback Shields

10.6400 Flashback Shield 10.6322 MEGA 63 Light



10.6401 **Double Flashback Shield** 10.6322 MEGA 63 Light (pair)

11.8627 Flashback Shield 11.8600 Slim Lights

12.0100 **Flashback Shield** 12.1314 Multi-Purpose Lights

# Bail Bracket

90.6487 Bail Bracket 12.1840 Luminator MicroDash Light

# Clip-On Stud Bracket

90.4243 Clip-on Stud Brkt. 11.8200 Series BTI Lights

# Hi-Rise Legs

11.4959 Hi-Rise Legs (pair) 2%" Height All SHO-ME<sup>®</sup> Light Bars and Mini Bars

# Headache Rack Brackets

33.0870 Headache Rack Brackets (pair)



Replacement part for all Dash Brackets Replacement part for Flashback Shields









# L Brackets

#### 11.4472 L Brackets (pair) 1%" H x ¾" W x 2¼" L 10.4322 MEGA 43 Light 10.6322 MEGA 63 Light 11.2710 Double Light Stick 11.2715 Triple Light Stick 11.2720 Quad Light Stick 11.2725 Quint Light Stick 11.8000 LED Dash Light 11.8200 Series By the Inch Lights 11.8600 Slim Light 11.9000 Micro-Lites 12.2809 Luminator Dash Light 12.5003 Luminator Trio Lights

12.5004 Luminator Quad Lights

# 11.4472BTI L Brackets (pair)

1%" H x ¾" W x 2¼" L 11.8300 Series BTI Lights 11.8341.A-CONT BTI Signal Stick 11.8400 Bendable BTI Lights 12.1300 Series SHO-OFF® Warning Sticks 12.1314 SHO-OFF® Multi-Purpose Lights

# 11.4473 L Brackets (pair)

21/8" H x 3/4" W x 31/4" L 11.2731 31" Signal Stick 11.2741 41" LED Signal Stick



11.2741CH Chameleon Signal Stick 12.6100 Series LightStorm® Warning Sticks 12.6200 Series LightStorm® Signal Sticks 12.6500 Series LightStorm Off Road/Scene Lts.

# Windshield Brackets

#### 11.4474 Windshield L Brackets (pr.)

7%"Нх ¾" W х 1¾"L 11.2710 Double Light Stick 11.2715 Triple Light Stick 11.2720 Quad Light Stick 11.2725 Quint Light Stick 11.8000 LED Dash Light 11.8200 Series By the Inch Lights 11.8600 Slim Light 11.9000 Micro-Lites 12.2809 Luminator Dash Light 12.5003 Luminator Trio Lights 12.5004 Luminator Quad Lights

#### 90.6488 Windshield Bracket 12.1840 Luminator MicroDash Light

# **Grille Bracket**

10.6407 Flat Grille Bracket 10.6322 MEGA 63 Lights

# Hood / Trunk Bracket

10.6402 Hood / Trunk Brkt. (pr.) 10.4322 MEGA 43 Lights 10.6322 MEGA 63 Lights

# Glass Brackets

10.4406 **Flat Glass Bracket** 10.4322 MEGA 43 Lights





Flat Glass Bracket 10.6322 MEGA 63 Lights

10.6406

#### 11.4471 Flat Glass Brkt.

All By The Inch Lights 12.1300 Series SHO-OFF® Warning Sticks 12.1314 SHO-OFF<sup>®</sup> Multi-Purpose Lights

# 11.4475 Glass Bracket

All By the Inch Lights 10.4322 MEGA 43 Lights 10.6322 MEGA 63 Lights 12.1300 SHO-OFF® Warning Sticks 12.1314 SHO-OFF® Multi-Purpose Lights

#### 11.4480 Glass Bracket

11 Series Signal Sticks 11.2710 Double Light Stick 11.2715 Triple Light Stick 11.2720 Quad Light Stick 11.2725 Quint Light Stick

#### 12.6151 Flat Glass Bracket

12.5003 Trio Lights 12.5004 Quad Lights

# PAR 36 Mounting Rings

11.6436.BLK Flush Mount Ring

17.0846 Stud-Mount Rubber Housing

90.6175 Sun Visor



All PAR 36 Mounting Rings accommodate: PAR 36 LEDs / PAR 36 Halogen Bulbs PAR 36 Incandescent Bulbs

# **Covert LED Bracket**

12.3302 Adjustable Bracket 12.3812 Headlight Covert LEDs 12.4508 Bi-Color Covert LEDs

# **Covert LED Flanges**

12.4506.BLK Black Flange 12.3812 Headlight Covert LEDs 12.4508 Bi-Color Covert LEDs



SHO-ME

#### Magnets

90.4250 Chrome **Ceramic Magnet** 3" Diameter, 90-lb Pull

90.4260 Black **Ceramic Magnet** 2" Diameter, 60-lb Pull



# Adhesive Tape

11.6051 **Double-Stick Tape** Sold by the foot.



90.6043 **Micro-Lite Adhesive Backing** 11.9000 Micro-Lites

# Hook & Loop Tape



15.0401 1" x 2" Hook & Loop (36 units) 15.0402 2" x 3" Hook & Loop (16 units)

#### Sold by the yard:

15.0403 1" Hook Tape 15.0404 1" Loop Tape 15.0405 2" Hook Tape 15.0406 2" Loop Tape



15.0411 Lock-Fast Tape (shown above)

#### **Arrow Board Brackets** (sold in pairs)

02.6016 Magnetic Brackets All Standard Size Arrow Boards All Short Arrow Boards



#### 02.6017 Permanent Mount Brackets

All Standard Size Arrow Boards All Short Arrow Boards



02.6018 Tailgate Brackets All Arrow Boards



02.6210 Permanent Mount Brackets All Two-Piece Arrow Boards



02.6230 Flush Mounting Brackets All Two-Piece Arrow Boards



# **Side-View Mirror Grommets**

90.6109 Side-View Mirror Grommets (pr) 11.9000 Micro-Lites 12.5003 Luminator Trio Lights





1-800-641-4098







LIGHT BARS - ALL	11.4959 Hi-Rise Legs	33.0870 Headache Rack		
MINI BARS - ALL	11.4959 Hi-Rise Legs	33.0870 Headache Rack		
INTERIOR LIGHT BAR	12.1450 Headliner			
ARROW BOARDS				
Standard	02.6016 Magnetic	02.6017 Permanent Mt	02.6018 Tailgate	
Short	02.6016 Magnetic	02.6017 Permanent Mt	02.6018 Tailgate	
Two-Piece	02.6210 Permanent	02.6230 Flush Mount	02.6018 Tailgate	
Large	02.6018 Tailgate			
SIGNAL STICKS	'		'	
11.2731 / 11.2741	11.4473 "L" Brackets	11.4480 Glass Bracket		
By The Inch (BTI)	11.4471 Flat Glass	11.4472.BTI "L" Brackets	11.4475 Glass	11.8310BRKT Dash
	11.8325BRKT Headliner			
Chameleon	11.4473 "L" Brackets	11.4480 Glass Bracket		
LightStorm®	11.4473 "L" Brackets			
BY THE INCH LIGHTS	1	1	I	1
Original BTI	11.4471 Flat Glass	11.4472 "L" Brackets	11.4474 Windshield "L"	11.4475 Glass
-	11.8200 Dash	11.8225BRKT Headliner	90.4243 Clip-On Stud	
Aluminum BTI	11.4471 Flat Glass	11.4472.BTI "L" Brackets	11.4475 Glass	11.8310BRKT Dash
	11.8325BRKT Headliner			
Bendable BTI	11.4471 Flat Glass	11.4472.BTI "L" Brackets	11.4475 Glass	11.8200 Dash
	11.8485 Headliner			
WARNING STICKS				1
LightStorm®	11.4473 "L" Brackets			
SHO-OFF®	11.4471 Flat Glass	11.4472.BTI "L" Brackets	11.4475 Glass	11.8310BRKT Dash
	11.8325BRKT Headliner			
11 Series Sticks	11.2010 Dash Bracket	11.2026 Headliner	11.4472 "L" Brackets	11.4474 Windshield "L
	11.4480 Glass			
COMPACT LIGHTS	11.1100 01055			
Slim Lights	11.4472 "L" Brackets	11.4474 Windshield "L"	11.8610 Dash Bracket	11.8626 Headliner
	11.8627 Flashback			
MEGA 43	10.4406 Flat Glass	10.6402 Hood / Trunk	10.6405 License Plate	11.4472 "L" Brackets
	11.4475 Glass Bracket	12.4303 Single Mount	12.4304 Double Stack	12.4305 Side By Side
	12.4307 Headliner	12.4505 Single Mount		12.4505 Side by Side
MEGA 63	10.6400 Flashback	10.6401 Dbl Flashback	10.6402 Hood / Trunk	10.6404 Headliner
MEGA 05	10.6405 License Plate	10.6406 Glass	10.6407 Grille	11.4472 "L" Brackets
	11.4475 Glass Bracket	12.4306 Side By Side	12.5403 Single Mount	12.5423 Double Stack
Micro-Lites	11.2825 Headliner	11.4472 "L" Brackets	11.4474 Windshield "L"	12.4407 License Plate
WICTO-LITES		12.5423 Double Stack	90.6109 Grommets	12.4407 License Plate
Luminator Trio	12.5403 Single Mount			11.4474 Windshield "L
Luminator Irio	10.6405 License Plate	11.2825 Headliner	11.4472 "L" Brackets	
	12.5403 Single Mount	12.5406 Side By Side	12.5423 Double Stack	12.6151 Flat Glass
	90.6109 Grommets	44.4474.147	1254045	
Luminator Quad	11.4472 "L" Brackets	11.4474 Windshield "L"	12.5404 Single Mount	12.5405 Double Stack
	12.5406 Side by Side	12.5407 License Plate	12.6150 Visor	12.6151 Flat Glass
SHO-OFF <sup>®</sup> Multi-Purpose	11.4471 Flat Glass	11.4472.BTI "L" Brackets	11.4475 Glass Bracket	12.0100 Flashback
	12.0101 Headliner			
DASH LIGHTS				
LED 11.8000	11.4472 "L" Bracket	11.4474 Windshield "L"	11.8010 Dash	11.8026 Headliner
Luminator MicroDash	11.1825 Headliner	90.6487 Bail	90.6488 Windshield	
Luminator	11.4472 "L" Brackets	11.4474 Windshield "L"	12.6155 Visor Bracket	ļ
PAR 36 LED Lamps	11.6436LK Flush Ring	17.0846 Rubber Housing	90.6175 Sun Visor	90.6756 Recessed
Covert LED Modules	12.3302 Adj. Bracket	12.4506.BLK Flange		
LightStorm Off-Road / Scene	11.4473 "L" Brackets			

# **Numerical Index**

02 Series	06
02.59008	06.0
02.60008	06.0
02.6016	06.0
02.6017	
02.6018	07
02.6029HD38	07.0
02.6029HD49	07.0
02.60528	07.0
02.6052WP10	07.1
02.61168	07.7
02.6116WP10	07.7
02.61348	07.7
02.6134WP10	07.1
02.62009	08
02.6210	00
02.6230	08.0
02.62169	08.0
02.6216WP10	08.0
02.6234	08.0
02.6234WP10	08.2
02.6252	
02.6252WP10	09
02.6300	09.4
02.63169	09.
02.6316WP10	09.
02.6334	09.
02.6334WP10	09.F
02.63529	09.E
02.6352WP10	09.E
02.700010	09.r
02.701610	09.2
02.7034	09.2
02.705210	09.3
02.7066	10
02.700010	10.0
03 Series	
03 Flashers 40	10.3
0511031101340	10.4
05 Series	10.4 10.4
	10.4
05 Switches 42	10.4
05.0915	10.4
05.0917	10.4
05.2412.020	10.4
05.4000	10.4
05.4004	10.4
05.4040	10.2
05.4044	10.5
05.5540	10.5
05.6000	10.5
05.6040	10.5
05.8000	
05.8040	10.6
05.804230	10.6
	10.6

06 Series	10.6210F 22	11.2715 14
-	10.6240F	11.2720
06.020027	10.6322	11.2725
06.030027	10.6400	11.2731
06.050027	10.6401	11.2741
	10.6402	11.2741CH
07 Series	10.640443	11.2825
07.0200	10.6405	11.3704
07.0300	10.6406	11.370817
07.0400	10.6407	11.4000
07.1002	10.7015.W0025	11.4471
07.7002	10.7018R.W0025	11.4472
07.7010	10.7027.W0025	11.4472BTI
07.7015	10.7027R.W0025	11.4473
	10.7048.W0025	11.4474
08 Series	10.803623	11.4475
	10.807223	11.4480
08.032727 08.032927	10.812023	11.4959
	10.818023	11.6051
08.033527 08.037527	10.824023	11.6112
08.037527 08.201LED27	10.830023	11.6116
00.201LED27	10.840024	11.6124
09 Series	10.857124	11.6436.BLK 44
	10.857224	11.800019
09.AB7026	10.857424	11.8010
09.AB7126	10.857524	11.802643
09.AB7226		11.8200 Series 15
09.AB7326	11 Series	11.8200F Series 15
09.EM201LED 26	11.1000 11	11.8200
09.EM34LED 26	11.1000CH12	11.8225BRKT 43
09.H755028	11.1002	11.8300 Series 15
09.H755128	11.1002GSM41	11.8300F Series 15
09.201LED	11.1005	11.8310BRKT 43
09.34LED26	11.1005SF	11.8325BRKT 43
10.0	11.1005SF-2738	11.8341.A-CONT 11
10 Series	11.1005SF.HD 38	11.8400 Series 15
10.089541	11.1005STT39	11.8400F Series 15
- 10.3003	11.1005STT.BTL39	11.8485
10.403023	11.1005TSF 38	11.851621 11.853421
10.406023	11.1006 11	11.8552
10.409023	11.1010.ARROW39	11.8600F16
10.412023	11.1010SF38	11.8610
10.415023	11.1010STT 39	11.8626
10.418023	11.1010STT.BTL39	11.8627
10.421023	11.101241	11.9000
10.424023	11.102541	
10.4322	11.1032	12 Series
10.440644 10.5072F22	11.11937	
10.5072F22	11.12007	12.0100
10.5120F22	11.12275	12.0101
10.5180F	11.12375	12.03127 12.10ATV
10.5240F	11.12475	
10.5300F22	11.12575 11.14006	12.12247 12.1227
10.6090F 22	11.1400	12.12275
10.6120F 22	11.201043	12.12375
10.6150F 22	11.2010	12.1247
1 . U. U . U U	4.5	
10.6180F	11.271014	12.13047

22	11.2715 14	12.1306
22 22	11.272014	12.1308
22		12.1306
43	11.272514	12.1312
	11.2731	12.1314 12.1314.C/
43	11.2741	
44	11.2741CH12	12.1318
43	11.2825	12.1324
43	11.370417	12.1327
44	11.370817	12.1327CH
44	11.4000	12.1330
25	11.4471	12.1336
25	11.447244	12.1337
25	11.4472BTI 44	12.1337CH
25	11.4473 44	12.1347
25	11.447444	12.1347CH
23	11.4475 44	12.1357
23	11.4480 44	12.1357CH
23	11.4959 43	12.1400
23	11.6051 44	12.1401
23	11.6112	12.1402
23	11.6116	12.1450
24	11.6124	12.1840
24	11.6436.BLK 44	12.2809
24	11.8000	12.3302
24	11.8010	12.3810
24	11.8026	12.4303
	11.8200 Series 15	12.4304
	11.8200F Series 15	12.4305
	11.8200	12.4306
11	11.8225BRKT 43	12.4307
12	11.8300 Series 15	12.4407
41	11.8300 Series 15	12.4407
41	11.8310BRKT 43	12.4500.BL
38		12.4516
38	11.8325BRKT 43	12.5003
38	11.8341.A-CONT 11	
38	11.8400 Series 15	12.5114
39	11.8400F Series 15	12.5214
39	11.8485 43	12.5403
38	11.851621	12.5404
11	11.853421	12.5405
139	11.855221	12.5406
38	11.8600F16	12.5407
39	11.8610 43	12.5423
39	11.8626 43	12.6105
41	11.862743	12.6106
41	11.900016	12.6110
41		12.6150
	12 Series	12.6151
		12.6155
7	12.0100	12.6204
5	12.0101	12.6204.KI
5	12.03127	12.6205
5	12.10ATV18	12.6206
5	12.12247	12.6207
6	12.12275	12.6208
43	12.12375	12.6209
43	12.12475	12.6210
43	12.12575	12.6501
14	12.13047	

204 4	
207 7	
3066	12.6502
3086	12.6503
31214	12.6504
31418	12.6505
314.CAP 18	12.6506
31814	12.7110
32414	12.7233
3274	12.7233
327CH 4	12.7253
33014	12.84201.
33614	
3374	13 Ser
337CH 4	13.0030
3474	13.0030
347CH 4	
3574	13.0134
357CH 4	13.0309
4006	13.0310
4016	13.2134
	13.2136
4026	13.2144
450 43	13.2146
840 19	13.2154
80919	13.2156
30244	10.2100
81021	14 000
30343	<u>14 Ser</u>
30443	14.0370
30543	14.0373
306	14.0434
307	14.0553
	14.0570
407	
506.BLK 44	14.0571
51621	14.6613
00317	
00417	15 Ser
00417	
11419	15 0401
11419	15.0401
114 19 214 19	15.0402
11419 21419 40343	15.0402 15.0403
114       19         214       19         403       43         404       43	15.0402 15.0403 15.0404
114       19         214       19         403       43         404       43         405       43	15.0402 15.0403 15.0404 15.0405
114	15.0402 15.0403 15.0404 15.0405 15.0406
114	15.0402 15.0403 15.0404 15.0405
114	15.0402 15.0403 15.0404 15.0405 15.0406
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b>
114       19         214       19         403       43         404       43         405       43	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b>
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b>
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b>
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846
114	15.0402 15.0403 15.0403 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846 <b>19 Ser</b>
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846 <b>19 Ser</b> 19.0155
114	15.0402 15.0403 15.0403 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846 <b>19 Ser</b>
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846 <b>19 Ser</b> 19.0155
114	15.0402 15.0403 15.0404 15.0405 15.0406 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846 <b>19 Ser</b> 19.0155 <b>25 Ser</b>
114	15.0402 15.0403 15.0403 15.0404 15.0405 15.0411 <b>16 Ser</b> 16.0550 16.7900 <b>17 Ser</b> 17.0846 <b>19 Ser</b> 19.0155 <b>25 Ser</b> 25.3500

	30 Series
	30.0200
	30.0210
	30.021235
	30.0215P
	30.0217P35
	30.0219.BLK35
	30.023035
	30.023135
21	30.0235 NT 35
	30.0300
ries	30.2100
33	30.2104
	30.210634
	30.2108
	30.2109
	30.2200
20	30.2220
20	30.2330
20	30.2400
20	30.3104
20	30.310633
20	30.310933
•	
ries	31 Series
29	31.2515
29	31.2515.4040 31
29	31.4040
	31.8040
	1
29	
29 29	33 Series
29	
29 29 29	33 Series
29 29 29 <b>ries</b>	33 Series
	33 Series 33.087043 90 Series
	<b>33 Series</b> 33.087043
29 29 29 <b>ries</b> 44 44 44	33 Series 33.087043 90 Series 90.424343
29 29 29 <b>ries</b> 44 44 44 44	33 Series           33.087043           90 Series           90.424343           90.425044
29 29 29 <b>ries</b> 44 44 44 44 44	33 Series           33.0870
29 29 29 <b>ries</b> 44 44 44 44 44 44 44	33 Series           33.0870
29 29 29 <b>ries</b> 44 44 44 44	33 Series           33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44	33 Series           33.0870
29 29 29 <b>ries</b> 44 44 44 44 44 44 44	33 Series           33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44	33 Series           33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44	33 Series           33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 7ries 28	33 Series           33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 7ries 28	33 Series         33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44 28 28 28	33 Series           33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44 28 28 28 28 28 ries	33 Series         33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44 28 28 28 28 28 ries 44	33 Series         33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44 44 44	33 Series         33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44 28 28 28 28 28 ries 44	33 Series         33.0870
29 29 29 ries 44 44 44 44 44 44 44 44 44 44 44 44 44	33 Series         33.0870



# Portable Handheld LED Lights Light Up Your World!

Promotional Items - Subject to Availability

# **200M LITE** Adjustable-Beam LED Flashlight Model 09.3550.LED

- Beam zooms from a narrow spotlight to a wide floodlight with a simple push or pull of the lighthead.
- Cycle through High, Medium and Low brightness levels and Strobe or SOS flash modes with the convenient endcap pressure switch.
- The High brightness level projects 1,000 lumens of white light. Medium level projects 50% and Low level projects 20% of maximum output.
- Solidly constructed of high-quality aluminum alloy.
- Designed with a metal clip that can attach to a belt or pocket and an attached wrist strap.
- Includes (2) 3.7V, 18650 lithium-ion rechargeable batteries and a charger with LED charging indicator.
- 1<sup>1</sup>/<sub>2</sub>" Diameter x 8<sup>1</sup>/<sub>2</sub>" max. length 7<sup>3</sup>/<sub>4</sub>" min. length

CREE \ ⇔

LEDS

- 8.4 oz weight with batteries
- 1 Year Warranty



# 2.5A Draw

Model 06.0600.CLP Includes 3' coiled cord with accessory plug. (Cord extends to 6'.) Model 06.0625.LIB (1) 7.4V 2.6AH lithium battery (1) AC wall charger (1) DC car charger

# PAR 36 Handheld LED Spotlights Models 06.0600.CLP / 06.0625.LIB

- Nine CREE<sup>®</sup> 3W LEDs emit up to 2,000 lumens.
- Inner lens focuses light into a concentrated spot beam.
- Aluminum array housing. / Plastic pistol-grip handle.
- Available in two styles: coiled cord with accessory plug or built-in lithium-ion rechargeable battery.
- Rechargeable models operate one hour per charge. Battery life: 500 cycles with an 8 to 10 hour charge time.
- Includes an attractive drawstring bag for storage.
- Overall: 4<sup>3</sup>/<sub>4</sub>" Diameter x 6<sup>1</sup>/<sub>2</sub>" L / Handle: 4<sup>1</sup>/<sub>4</sub>"L
- 12V / 2.5A / 27 Watts / 2000 Lumens CREE@
- 1 Year Warranty




(9) 3W CREE® LEDs



Convenient Switch

LEDS

**Always Striving to Exceed Your Expectations** 



# **Distributed By:**

90.1013.A